

Select country from dropdown menu

This scorecard for Congo was automatically created based on global databases and was not quality assured as part of the GPC's annual review process.

Congo

COG

Based on most recent available data.

Version 2.02.


2024

Output (coverage)

Outcome (service use/behaviour)

Impact

Condoms			Condom use with non-regular partners (%)			New HIV infections (ages 15+ trend vs. 2020 and 2025 targets)		
Number of condoms distributed and sold / year (in millions)	id		Women 15-49	40		2010	5 800	
Number of condoms distributed/sold per couple-year (age range 15-64)	id		Men 15-49	64		2015		
Estimated condom distribution need met (%)	id					2020	8 300	
						2025	8 600	
Men and boys (including VMMC)			% of 2020 VMMC target achieved			HIV prevalence		
Number of VMMCs performed / year (in thousands)	na		Men	na		2020 target	1 400	
% of annual VMMC target achieved	na		Men 15-24	98		2025 target	1 200	
			Men 15-49	99				
ARV-based prevention			% of national PrEP need met					
Composite PrEP score (0-10)	1		All pop.	0				
Number of people who received PrEP at least once in the past 12 months	0		Women 15+	id				
% of PLHIV on ART	31		Men 15+	id				
Key populations			% of PLHIV virally suppressed					
Sex workers (SW)			Condom use / last paid sex (%)					
Population size estimate for sex workers	id		Sex workers	id		Sex workers <25 years	id	
% of SWs who received at least two HIV prevention interventions (past 3 mo)	28		Men 15-49	75		Sex workers all ages	id	
Prevention strategy includes core elements of SW prevention package	> Half		% on ART	id				
Gay men and other men who have sex with men (MSM)			Condom use / last anal sex (%)					
Population size estimate for men who have sex with men	id		MSM	id		MSM <25 years	id	
% of MSM who received at least two HIV prevention interventions (past 3 mo)	67		MSM LHIV	id		MSM all ages	id	
Prevention strategy includes core elements of MSM prevention package	> Half		% on ART	id				
People who inject drugs (PWID)			% with safe injecting practices					
Population size estimate for people who inject drugs	id		PWID	id		PWID <25 years	id	
% of PWID who received at least two HIV prevention interventions (past 3 mo)	id		% on opioid substitution therapy	id		PWID all ages	id	
Prevention strategy includes core elements of PWID harm reduction package	None		% on ART	id				
Structural barriers and enablers			% of people who avoided health care because of stigma and discrimination					
Criminalization of sex work	Yes		Sex workers	id				
Criminalization of same-sex sexual acts	No		MSM	id				
Criminalization of drug use/consumption or possession for personal use	id		PWID	id				
Criminalization of transgender people	No		Transgender	id				
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings			Condom use with non-regular partners (%)					
% of priority locations/districts with dedicated programs for AGYW & partners	id		Women 15-24	45		Women 15-24	2.4	
Educational policies on HIV & sexuality education (secondary school)	Yes		Men 15-24	66		Men 15-24	0.5	
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <14		% who completed lower secondary education	45		Adults, 15+	3.1	
Provider-initiated condom promotion integrated into SRH services	Yes		% of women experienced physical or sexual violence from husband/partner	id				
HIV testing services integrated with SRH services	Partial			id				



Summary Scores

AGYW	4
Sex workers	5
MSM	id
PWID	id
Condoms	id
VMMC	na
ART	3
PrEP	1

Acronyms: na ... not applicable;

PLHIV...people living with HIV; LHIV...living with HIV; YW...young women; YM...young men;

SRH ... sexual and reproductive health.

Very good
Good
Medium

Low
Very low
Insufficient data