

Select country from dropdown menu

Eswatini

SWZ

Based on most recent available data.

Version 2.02.

2023

Output (coverage)

Outcome (service use/behaviour)

Impact

Output (coverage)		Outcome (service use/behaviour)		Impact		
Condoms						
Number of condoms distributed and sold / year (in millions)	12	Condom use with non-regular partners (%)	Women 15-49	66	New HIV infections (ages 15+ trend vs. 2020 and 2025 targets)	
Number of condoms distributed/sold per couple-year (age range 15-64)	28		Men 15-49	83		
Estimated condom distribution need met (%)	79					
Men and boys (including VMMC)						
Number of VMMCs performed / year (in thousands)	6	% of 2020 VMMC target achieved	Men	13	HIV prevalence	
% of annual VMMC target achieved	32	National male circumcision prevalence (%)	Men 15-24	5		
			Men 15-49	29		
ARV-based prevention						
Composite PrEP score (0-10)	id	% of national PrEP need met	All pop.	id	2010 baseline 2020, 2022 2020 target 2025 target 2020 and 2025 targets represent the country's required contribution to global targets, a 75% reduction by 2020 and 82.5% reduction by 2025 against 2010 as a baseline.	
Number of people who received PrEP at least once in the past 12 months	id	% of PLHIV virally suppressed	Women 15+	95		
% of PLHIV on ART	95		Men 15+	90		
Key populations						
<i>Sex workers (SW)</i>						
Population size estimate for sex workers	7056	Condom use / last paid sex (%)	Sex workers	50	Sex workers <25 years	
% of SWs who received at least two HIV prevention interventions (past 3 mo)	9		Men 15-49	id	Sex workers all ages	
Prevention strategy includes core elements of SW prevention package	> Half		% on ART	SWs LHIV	id	
<i>Gay men and other men who have sex with men (MSM)</i>						
Population size estimate for men who have sex with men	4000	Condom use / last anal sex (%)	MSM	80	MSM <25 years	
% of MSM who received at least two HIV prevention interventions (past 3 mo)	29		% on ART	MSM LHIV	id	MSM all ages
Prevention strategy includes core elements of MSM prevention package	> Half					
<i>People who inject drugs (PWID)</i>						
Population size estimate for people who inject drugs	300	% with safe injecting practices	PWID	id	PWID <25 years	
% of PWID who received at least two HIV prevention interventions (past 3 mo)	37	% on opioid substitution therapy		id	PWID all ages	
Prevention strategy includes core elements of PWID harm reduction package	None	% on ART	PWID LHIV	id		
<i>Structural barriers and enablers</i>						
Criminalization of sex work	Yes	% of people who avoided health care because of stigma and discrimination	Sex workers	34		
Criminalization of same-sex sexual acts	Yes		MSM	id		
Criminalization of drug use/consumption or possession for personal use	Yes		PWID	id		
Criminalization of transgender people	No		Transgender	id		
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings						
% of priority locations/districts with dedicated programs for AGYW & partners	80	Condom use with non-regular partners (%)	Women 15-24	55	Women 15-24	
Educational policies on HIV & sexuality education (secondary school)	Yes		Men 15-24	74	Men 15-24	
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <12	% who completed lower secondary education	Girls	54	Adults, 15+	
Provider-initiated condom promotion integrated into SRH services	No/id	% of women experienced physical or sexual violence from husband/partner	Women 15-19	id		
HIV testing services integrated with SRH services	Yes		Women 15-49	id		

Summary Scores

AGYW	7
Sex workers	0
MSM	5
PWID	4
Condoms	8
VMMC	2
ART	9
PrEP	id

Acronyms: na ... not applicable;
PLHIV...people living with HIV; LHIV...living with HIV; YW...young women; YM...young men;
SRH ... sexual and reproductive health.

 Very good	 Low
 Good	 Very low
 Medium	 Insufficient data