


Expanding the Global HIV Prevention Coalition

Overview on the 2025 HIV Prevention Roadmap

Global 2020 targets: Where we landed in 2020




What Model Assumed (targets)

- 90% key populations reached
- 90% of young women in key locations
- >6bn condoms (SSA) per year
- 3m using PrEP
- 25m VMMC (2016-20)
- Increase in funding to 6.5bn per year in LMICs
- Testing, treatment, viral suppression in PLHIV: 90-81-73



What Was Implemented (2020)

- 42% of sex workers, 41% for gay men & other MSM, 32% for PWID reached
- 44% of young women in key locations
- >3 bn condoms (SSA) per year
- 0.8m using PrEP
- 18m VMMCs (2016-20)
- Flat funding
- Testing, treatment, viral suppression in PLHIV: 84-73-66



Guiding frameworks for renewed commitment to HIV prevention

- **Global AIDS Strategy 2021-2026**
 - Programmatic HIV prevention 2025 targets
- **2021 Political Declaration on HIV and AIDS**
 - Commitments to HIV prevention
- **2030 Agenda for sustainable development**
 - Multisectoral aspects of HIV prevention



3 GOOD HEALTH AND WELL-BEING	4 QUALITY EDUCATION	5 GENDER EQUALITY	10 REDUCED INEQUALITIES	16 PEACE, JUSTICE AND STRONG INSTITUTIONS	17 PARTNERSHIPS FOR THE GOALS
Healthy lives and well-being for all, at all ages	Inclusive and equitable quality education and promotion of lifelong learning opportunities for all	Gender equality and empowerment of all women and girls	Reduced inequality within and among countries	Reduced violence including against key populations and people living with HIV	Global partnership for sustainable development
Universal health coverage, including HIV prevention services	High-quality education, including on comprehensive sexual and reproductive health	Sexual and reproductive health and rights	Protection against discrimination alongside legal services	Promotion of the rule of law	Policy coherence
Universal access to sexual and reproductive health	Empowerment of young people and life skills for responsible and informed sexual and reproductive health decisions	Elimination of violence and harmful gender norms and practices	Rights literacy, access to justice and international protection	Effective, accountable and transparent institutions	International support for implementing effective capacity building
Universal access to drug dependence treatment and harm reduction			Empowerment of people to claim their rights and enhance access to HIV services	Inclusive, participatory and representative decision-making	

Global AIDS Strategy 2021-26: What's new & different for prevention?

Ending inequalities:

Commitment to take urgent and transformative action to end the social, economic, racial and gender inequalities that perpetuate the AIDS pandemic.

Equitable outcomes and granular targets:

Commitment to achieve HIV combination prevention, testing and treatment targets across relevant demographics, groups and geographic settings.

Prioritized combination HIV prevention:

Commitment to prioritize comprehensive packages of HIV prevention services and ensure they are available and used by 95% of people at risk of HIV infection.

Key populations:

Acknowledgement that key populations—including men who have sex with men, people who inject drugs, female sex workers, transgender people, and people in prisons and other closed settings—are at particular risk of HIV infection.

New HIV cascade:

Commitment to reach the new 95–95–95 testing, treatment and viral suppression targets within all demographics, groups and geographic settings, ensuring that at least 34 million people living with HIV access treatment.

Undetectable = Untransmittable (U = U):

Acknowledgement that viral suppression through antiretroviral therapy is a powerful component of combination HIV prevention because people living with HIV with undetectable viral loads will not transmit their infection to others.

Elimination of new HIV infections in children:

Commitment to ensure 95% of pregnant and breastfeeding women have access to combination HIV prevention, antenatal testing and re-testing; 95% of women living with HIV achieve and sustain viral suppression before delivery and during breastfeeding; and 95% of HIV-exposed children are tested within two months and, if HIV-positive, are provided with optimized treatment.

Fully fund the AIDS response:

Invest US\$ 29 billion annually in low- and middle-income countries, including at least US\$ 3.1 billion towards societal enablers.

10–10–10 targets for societal enablers:

- To reduce to less than 10% the number of women, girls and people living with, at risk of and affected by HIV who experience genderbased inequalities and sexual and gender-based violence.
- To ensure that less than 10% of countries have restrictive legal and policy environments that lead to the denial or limitation of access to services.
- To ensure that less than 10% of people living with, at risk of and affected by HIV experience stigma and discrimination.

Sexual and reproductive health:

Commitment to ensure that 95% of women and girls of reproductive age have their HIV and sexual and reproductive health-care service needs met.

Access to affordable medicines, diagnostics, vaccines and health technologies:

Commitment to ensure global accessibility, availability and affordability of safe, effective and quality-assured medicines, including generics, vaccines, diagnostics and other health technologies to prevent, diagnose and treat HIV infection, its co-infections and comorbidities.

Service integration:


Commitment to invest in systems for health and social protection systems that provide 90% of people living with, at risk of and affected by HIV with people-centred and contextspecific integrated services for HIV and other services.

Community leadership, service delivery and monitoring:



Commitment to increase the proportion of community-led HIV services and ensure relevant networks and communities are sustainably financed, included in HIV response decision-making, and can generate data through community monitoring and research.

GIPA:

Explicit reference to the Greater Involvement of People Living with HIV, known as the GIPA Principle




Global AIDS Strategy 2021-2026 sets out new targets including for combination HIV prevention & SRH



What Will Success Look Like

The 2025 high-level HIV prevention targets and commitments



GPC member countries by number of new HIV infections in 2022

		2010	2022	% Change
South Africa	GPC	376423	161,801	-57%
Mozambique	GPC	163809	97,231	-41%
Uganda	GPC	85832	51,517	-40%
Zambia	GPC	71196	33,361	-53%
United Republic of Tanzania	GPC	98182	31,515	-68%
Philippines	New group 1	4709	24,371	418%
Indonesia	GPC	50185	24,276	-52%
Kenya	GPC	69507	22,155	-68%
Mexico	GPC	17964	20,342	13%
Zimbabwe	GPC	78090	17,337	-78%
Ghana	GPC	22772	16,574	-27%
Democratic Republic of the Congo	GPC	37873	15,888	-58%
Congo	New group 2	8028	15,804	97%
Malawi	GPC	56054	15,720	-72%
Angola	GPC	28221	15,481	-45%
Myanmar	GPC	17071	11,090	-35%
South Sudan	New group 1	16829	10,933	-35%

		2010	2022	% Change
Cameroon	GPC	32339	9,898	-69%
Central African Republic	New group 2	10817	9,500	-12%
Thailand	New group 2	16688	9,230	-45%
Cote d'Ivoire	GPC	26034	8,979	-66%
Madagascar	New group 1	3523	8,855	151%
Colombia	New group 1	9704	8,299	-14%
Ethiopia	GPC	27084	8,256	-70%
Papua New Guinea	New group 2	2819	6,517	131%
Peru	New group 2	3672	5,762	57%
Namibia	GPC	10877	5,614	-48%
Egypt	New group 2	1068	5,116	379%
Lesotho	GPC	18374	4,820	-74%
Botswana	GPC	12857	4,320	-66%
Eswatini	GPC	14322	4,001	-72%
Rwanda	New group 1	11077	3,030	-73%
Iran (Islamic Republic of)	GPC	3697	2,910	-21%

No estimates published in 2023 for several large GPC member countries that would be in the top 10 priority countries : Brazil, China, India, Nigeria, Pakistan


GPC focus countries with prevention crises or relatively slow progress

		2010	2022	% Change
Philippines	New group 1	4709	24,371	418%
Egypt	New group 2	1068	5,116	379%
Madagascar	New group 1	3523	8,855	151%
Papua New Guinea	New group 2	2819	6,517	131%
Congo	New group 2	8028	15,804	97%
Peru	New group 2	3672	5,762	57%
Mexico	GPC	17964	20,342	13%
Central African Republic	New group 2	10817	9,500	-12%
Colombia	New group 1	9704	8,299	-14%
Iran (Islamic Republic of)	GPC	3697	2,910	-21%
Ghana	GPC	22772	16,574	-27%
South Sudan	New group 1	16829	10,933	-35%
Myanmar	GPC	17071	11,090	-35%
Uganda	GPC	85832	51,517	-40%
Mozambique	GPC	163809	97,231	-41%


Steep rising trend in Pakistan reported previously, but no published estimates in 2023;
stagnating trend reported in Brazil

Great variation in progress on primary prevention:

Good examples for all pillars of prevention, but major gaps in coverage



HIV Prevention 2025 Road Map



- ❑ Takes account of an evolving context marked by persistent inequities and overlapping pandemics
- ❑ Reflects intensified focus on key populations everywhere and adolescent girls and young women and men in sub-Saharan Africa **and** strengthening the roles of communities in HIV prevention.
- ❑ Guides the use of scarce resources in ways that can achieve maximum impact.
- ❑ Emphasizes wider access and use of innovative HIV prevention options and approaches
- ❑ Highlights importance of sound management **and** **accountability** processes

But Large Gaps Remain

- ❑ Limited political leadership in HIV prevention
- ❑ Policy and structural obstacles to HIV prevention services
- ❑ Limited HIV prevention financing
- ❑ Limited implementation at scale



Detailed HIV prevention targets in the new Global AIDS Strategy for young people and adults

Young people and adults 15-49		Risk by prioritization stratum			
		Very high	Moderate	Low	
All ages and genders	Condoms/lubricant use at last sex by those not taking PrEP with a non-regular partner whose HIV viral load status is not known to be undetectable (includes those who are known to be HIV-negative)	95%	70%	50%	
	PrEP use (by risk category)	50%	5%	0%	
	STI screening and treatment	80%	10%	10%	
Adolescents and young people	Comprehensive sexuality education in schools, in line with UN international technical guidance	90%	90%	90%	
		Strata based on geography alone			
		Very high (>3%)	High (1–3%)	Moderate (0.3–1%)	Low (<0.3%)
All ages and genders	Access to post-exposure prophylaxis (PEP) (non-occupational exposure) as part of package of risk assessment and support	90%	50%	5%	0%
	Access to PEP (nosocomial) as part of package of risk assessment and support	90%	80%	70%	50%
Adolescent girls and young women	Economic empowerment	20%	20%	0%	0%
Adolescent boys and men	VMMC	90% in 15 priority countries			
People within serodiscordant partnerships	Condoms/lubricant use at last sex by those not taking PrEP with a non-regular partner whose HIV viral load status is not known	95%			
	PrEP until positive partner has suppressed viral load	30%			
	PEP	100% after high-risk exposure			

Thresholds for the prioritization of HIV prevention methods

	Criterion	High and very high		Moderate	Low
Adolescent girls and young women	Combination of [national or subnational incidence in women 15–24 years] AND [reported behaviour from DHS or other (>2 partners; or reported STI in previous 12 months)]	1–3% incidence AND high-risk reported behaviour	>3% incidence	0.3–<1% incidence and high-risk reported behaviour OR 1–3% incidence and low-risk reported behaviour	<0.3% incidence OR 0.3–<1% incidence and low-risk reported behaviour
Adolescent boys and young men	Combination of [national or subnational incidence in men 15–24 years] AND [reported behaviour from DHS or other (>2 partners; or reported STI in previous 12 months)]	1–3% incidence AND high-risk reported behaviour	>3% incidence	0.3–<1% incidence and high-risk reported behaviour OR 1–3% incidence and low-risk reported behaviour	<0.3% incidence OR 0.3–<1% incidence and low-risk reported behaviour
Adults (aged 25 and older)	Combination of [national or subnational incidence in adults 25–49 years] AND [reported behaviour from DHS or other (>2 partners; or reported STI in previous 12 months)]	1–3% incidence AND high-risk reported behaviour	>3% incidence	0.3–<1% incidence and high-risk reported behaviour OR 1–3% incidence and low-risk reported behaviour	<0.3% incidence OR 0.3–<1% incidence and low-risk reported behaviour
Serodiscordant partnerships	Estimated number of HIV-negative regular partners of someone newly starting on treatment	Risk stratification depends on choices within the partnership: choice of timing and regimen of antiretroviral therapy for the HIV-positive partner; choice of behavioural patterns (condoms, frequency of sex); choice of PrEP			

Detailed granular HIV prevention targets for key populations


30/60/80 targets
... 80% of
prevention for
key populations
through key
population-led
organizations

KEY POPULATIONS	Sex workers	Gay men and other men who have sex with men	People who inject drugs	Trans-gender people	Prisoners and others in closed settings
Condoms/lubricant use at last sex by those not taking PrEP with a non-regular partner whose HIV viral load status is not known to be undetectable (includes those who are known to be HIV-negative)	--	95%	95%	95%	--
Condom/lubricant use at last sex with a client or non-regular partner	90%	--	--	--	90%
PrEP use (by risk category) <ul style="list-style-type: none"> ▪ Very high ▪ High ▪ Moderate and low 	80% 15% 0%	50% 15% 0%	15% 5% 0%	50% 15% 0%	15% 5% 0%
Sterile needles and syringes	--	--	90%	--	90%
Opioid substitution therapy among people who are opioid dependent	--	--	50%	--	--
STI screening and treatment	80%	80%	--	80%	--
Regular access to appropriate health system or community-led services	90%	90%	90%	90%	100%
Access to post-exposure prophylaxis as part of package of risk assessment and support	90%	90%	90%	90%	90%

Thresholds for the prioritization of HIV prevention methods: key populations

	Criterion	Very high	High	Moderate and low
Sex workers	National adult (15–49 years) HIV prevalence	>3%	>0.3%	<0.3%
Prisoners	National adult (15–49 years) HIV prevalence	>10%	>1%	<1%
Gay men and other men who have sex with men	UNAIDS analysis by country/ region	Proportion of populations estimated to have incidence >3%	Proportion of populations estimated to have incidence 0.3–3%	Proportion of populations estimated to have incidence <0.3%
Transgender people	Mirrors gay men and other men who have sex with men in absence of data	Proportion of populations estimated to have incidence >3%	Proportion of populations estimated to have incidence 0.3–3%	Proportion of populations estimated to have incidence <0.3%
People who inject drugs	UNAIDS analysis by country/ region	Low needle–syringe programme and opioid substitution therapy coverage	Some needle–syringe programme; some opioid substitution therapy	High needle–syringe programme coverage with adequate needles and syringes per person who injects drugs; opioid substitution therapy available


How Will We Get There – 10 Point Action Plan



Prevention Pillars

Fewer than 370,000
new HIV infections per year by 2025

95% of people at risk of HIV have equitable access to and use appropriate, prioritized, person-centred and effective combination prevention options




Road Map


- Focuses on scaling up primary prevention of HIV infections and on introducing policy, legal and societal enablers

- Highlights complementarity and interaction between primary HIV prevention, testing, treatment and the prevention of vertical transmission of HIV

Global HIV Prevention Coalition (GPC) in context – OVERVIEW



Scorecard showing variation in programme outcomes and continued major coverage and data gaps



■ Very good (9-10) ■ Medium (7) ■ Very low (0-4) na Not applicable ■ 2010 baseline ◆ 2020 target
■ Good (8) ■ Low (5-6) ■ id Insufficient data ● 2020 ◆ 2025 target

Central African Republic

CAF

Based on most recent available data.

Version

2.02.

2022

Output (coverage)

Outcome (service use/behaviour)

Impact

Output (coverage)		Outcome (service use/behaviour)			Impact	
Condoms						
Number of condoms distributed and sold / year (in millions)	5	Condom use with non-regular partners (%)	Women 15-49	id		
Number of condoms distributed/sold per couple-year (age range 15-64)	4		Men 15-49	id		
Estimated condom distribution need met (%)	id					
Voluntary medical male circumcision (VMMC)						
Number of VMMCs performed / year (in thousands)	na	% of 2020 VMMC target achieved	Men	na		
% of annual VMMC target achieved	na	National male circumcision prevalence (%)	Men 15-24	id		
			Men 15-49	id		
ARV-based prevention						
Composite PrEP score (0-10)	id	% of national PrEP need met	All pop.	id		
Number of people who received PrEP at least once in the past 12 months	id	% of PLHIV virally suppressed	Women 15+	id		
% of PLHIV on ART	67		Men 15+	id		
Key populations						
<i>Sex workers (SW)</i>						
Population size estimate for sex workers	3900	Condom use / last paid sex (%)	Sex workers	80	Sex workers <25 years	8.9
% of SWs who received at least two HIV prevention interventions (past 3 mo)	28		Men 15-49	id	Sex workers all ages	15.0
Prevention strategy includes core elements of SW prevention package	> Half	% on ART	SWs LHIV	61		
<i>Gay men and other men who have sex with men (MSM)</i>						
Population size estimate for men who have sex with men	3000	Condom use / last anal sex (%)	MSM	30	MSM <25 years	4.7
% of MSM who received at least two HIV prevention interventions (past 3 mo)	26	% on ART	MSM LHIV	60	MSM all ages	3.4
Prevention strategy includes core elements of MSM prevention package	> Half					
<i>People who inject drugs (PWID)</i>						
Population size estimate for people who inject drugs	id	% with safe injecting practices	PWID	id	PWID <25 years	id
% of PWID who received at least two HIV prevention interventions (past 3 mo)	id	% on opioid substitution therapy		id	PWID all ages	id
Prevention strategy includes core elements of PWID harm reduction package	None	% on ART	PWID LHIV	id		
Structural barriers and enablers						
Criminalization of sex work	Yes	% of people who avoided health care because of stigma and discrimination	Sex workers	85		
Criminalization of same-sex sexual acts	No		MSM	id		
Criminalization of drug use/consumption or possession for personal use	Yes		PWID	id		
Criminalization of transgender people	No		Transgender	id		
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings						
% of priority locations/districts with dedicated programs for AGYW & partners	id	Condom use with non-regular partners (%)	Women 15-24	id	Women 15-24	1.5
Educational policies on HIV & sexuality education (secondary school)	Yes		Men 15-24	id	Men 15-24	1.0
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <18	% who completed lower secondary education	Girls	10	Adults, 15+	2.8
Provider-initiated condom promotion integrated into SRH services	Yes	% of women experienced physical or sexual violence from husband/partner	Women 15-19	id		
HIV testing services integrated with SRH services	Yes		Women 15-49	id		

Example (2022): DO NOT CITE

Select country from dropdown menu

This scorecard for Congo was automatically created based on global databases and was not quality assured as part of the GPC's annual review process.

Congo		COG	Based on most recent available data.	Version	2.02.	2022	
Output (coverage)		Outcome (service use/behaviour)			Impact		
Condoms							
Number of condoms distributed and sold / year (in millions)	0	Condom use with non-regular partners (%)	Women 15-49	40	New HIV infections (ages 15+ trend vs. 2020 and 2025 targets)		
Number of condoms distributed/sold per couple-year (age range 15-64)	id		Men 15-49	64			
Estimated condom distribution need met (%)	id						
Voluntary medical male circumcision (VMMC)							
Number of VMMCs performed / year (in thousands)	na	% of 2020 VMMC target achieved	Men	na	HIV prevalence		
% of annual VMMC target achieved	na	National male circumcision prevalence (%)	Men 15-24	98			
			Men 15-49	99			
ARV-based prevention							
Composite PrEP score (0-10)	id	% of national PrEP need met	All pop.	id	2020 and 2025 targets represent the country's required contribution to global targets, a 75% reduction by 2020 and 82.5% reduction by 2025 against 2010 as a baseline.		
Number of people who received PrEP at least once in the past 12 months	id	% of PLHIV virally suppressed	Women 15+	id			
% of PLHIV on ART	23		Men 15+	id			
Key populations							
<i>Sex workers (SW)</i>							
Population size estimate for sex workers	9700	Condom use / last paid sex (%)	Sex workers	86	Sex workers <25 years	3.5	
% of SWs who received at least two HIV prevention interventions (past 3 mo)	17		Men 15-49	75	Sex workers all ages	8.1	
Prevention strategy includes core elements of SW prevention package	id		% on ART	SWs LHIV	id		
<i>Gay men and other men who have sex with men (MSM)</i>							
Population size estimate for men who have sex with men	1300	Condom use / last anal sex (%)	MSM	64	MSM <25 years	32.2	
% of MSM who received at least two HIV prevention interventions (past 3 mo)	id		% on ART	MSM LHIV	id	MSM all ages	41.2
Prevention strategy includes core elements of MSM prevention package	id						
<i>People who inject drugs (PWID)</i>							
Population size estimate for people who inject drugs	400	% with safe injecting practices	PWID	id	PWID <25 years	id	
% of PWID who received at least two HIV prevention interventions (past 3 mo)	0	% on opioid substitution therapy		id	PWID all ages	id	
Prevention strategy includes core elements of PWID harm reduction package	id	% on ART	PWID LHIV	id			
Structural barriers and enablers							
Criminalization of sex work	Yes	% of people who avoided health care because of stigma and discrimination	Sex workers	17			
Criminalization of same-sex sexual acts	No		MSM	10			
Criminalization of drug use/consumption or possession for personal use	#N/A		PWID	id			
Criminalization of transgender people	No		Transgender	id			
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings							
% of priority locations/districts with dedicated programs for AGYW & partners	id	Condom use with non-regular partners (%)	Women 15-24	45	Women 15-24	3.3	
Educational policies on HIV & sexuality education (secondary school)	Yes		Men 15-24	66	Men 15-24	0.7	
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <14	% who completed lower secondary education	Girls	45	Adults, 15+	3.6	
Provider-initiated condom promotion integrated into SRH services	Yes	% of women experienced physical or sexual violence from husband/partner	Women 15-19	id			
HIV testing services integrated with SRH services	Partial		Women 15-49	id			

Country Scorecard Example (2022): DO NOT CITE

Summary Scores	
AGYW	4
Sex workers	5
MSM	id
PWID	0
Condoms	id
VMMC	na
ART	2
PrEP	id

Acronyms: na ... not applicable; Very good, Good, Medium, Low, Very low, id Insufficient data

Output (coverage) → Outcome (service use/behaviour) → Impact

ARV-based prevention							
Composite PrEP score (0-10)	id	% of national PrEP need met	All pop.	id			
Number of people who received PrEP at least once in the past 12 months	id	% of PLHIV virally suppressed	Women 15+	id			
% of PLHIV on ART	40		Men 15+	id			
Key populations				HIV prevalence			
Sex workers (SW)							
Population size estimate for sex workers	id	Condom use / last paid sex (%)	Sex workers	id	Sex workers <25 years	id	
% of SWs who received at least two HIV prevention interventions (past 3 mo)	id		Men 15-49	id	Sex workers all ages	2.8	
Prevention strategy includes core elements of SW prevention package	> Half	% on ART	SWs LHIV	id			
Gay men and other men who have sex with men (MSM)							
Population size estimate for men who have sex with men	id	Condom use / last anal sex (%)	MSM	id	MSM <25 years	6.6	
% of MSM who received at least two HIV prevention interventions (past 3 mo)	1	% on ART	MSM LHIV	id	MSM all ages	6.7	
Prevention strategy includes core elements of MSM prevention package	> Half						
People who inject drugs (PWID)							
Population size estimate for people who inject drugs	id	% with safe injecting practices	PWID	id	PWID <25 years	id	
% of PWID who received at least two HIV prevention interventions (past 3 mo)	3	% on opioid substitution therapy		id	PWID all ages	id	
Prevention strategy includes core elements of PWID harm reduction package	> Half	% on ART	PWID LHIV	id			
Structural barriers and enablers							
Criminalization of sex work	Yes	% of people who avoided health care because of stigma and discrimination	Sex workers	id			
Criminalization of same-sex sexual acts	Yes		MSM	id			
Criminalization of drug use/consumption or possession for personal use	#N/A		PWID	id			
Criminalization of transgender people	No		Transgender	id			
					Women 15-24	0.0	
					Men 15-24	0.0	
					Adults, 15+	0.0	

- 2010 baseline
- 2020, 2021
- 2020 target
- 2025 target

2020 and 2025 targets represent the country's required contribution to global targets, a 75% reduction by 2020 and 82.5% reduction by 2025 against 2010 as a baseline.

Summary Scores

Sex workers	id
MSM	id
PWID	0
ART	4
PrEP	id

Acronyms: na ... not applicable;

PLHIV...people living with HIV; LHIV...living with HIV; YW...young women; YM...young men;

SRH ... sexual and reproductive health.

- Very good
- Good
- Medium

- Low
- Very low
- Insufficient data

Country Scorecard Example (2022): DO NOT CITE

Papua New Guinea

PNG

Based on most recent available data.

Version 2.02.

2022

Output (coverage)




Outcome (service use/behaviour)



Impact

New HIV infections

(ages 15+ trend vs. 2020 and 2025 targets)



2010 baseline
2020, 2021
2020 target
2025 target

2020 and 2025 targets represent the country's required contribution to global targets, a 75% reduction by 2020 and 82.5% reduction by 2025 against 2010 as a baseline.

ARV-based prevention

Composite PrEP score (0-10)	id	% of national PrEP need met	All pop.	id
Number of people who received PrEP at least once in the past 12 months	id	% of PLHIV virally suppressed	Women 15+	id
% of PLHIV on ART	65		Men 15+	id

Key populations

Sex workers (SW)

Population size estimate for sex workers	50800	Condom use / last paid sex (%)	Sex workers	32	Sex workers <25 years	id
% of SWs who received at least two HIV prevention interventions (past 3 mo)	35		Men 15-49	48	Sex workers all ages	15.5
Prevention strategy includes core elements of SW prevention package	id	% on ART	SWs LHIV	id		

Gay men and other men who have sex with men (MSM)

Population size estimate for men who have sex with men	37800	Condom use / last anal sex (%)	MSM	id	MSM <25 years	id
% of MSM who received at least two HIV prevention interventions (past 3 mo)	6		% on ART	MSM LHIV	id	MSM all ages
Prevention strategy includes core elements of MSM prevention package	id					

People who inject drugs (PWID)

Population size estimate for people who inject drugs	id	% with safe injecting practices	PWID	id	PWID <25 years	id
% of PWID who received at least two HIV prevention interventions (past 3 mo)	id	% on opioid substitution therapy			PWID all ages	id
Prevention strategy includes core elements of PWID harm reduction package	id	% on ART	PWID LHIV	id		

Structural barriers and enablers

Criminalization of sex work	Yes	% of people who avoided health care because of stigma and discrimination	Sex workers	id
Criminalization of same-sex sexual acts	Yes		MSM	id
Criminalization of drug use/consumption or possession for personal use	Yes		PWID	id
Criminalization of transgender people	Yes		Transgender	id

Women 15-24	0.4
Men 15-24	0.2
Adults, 15+	0.9

Summary Scores

Sex workers	3
MSM	id
PWID	id
ART	6
PrEP	id

Acronyms: na ... not applicable;

PLHIV...people living with HIV; LHIV...living with HIV; YW...young women; YM...young men;

SRH ... sexual and reproductive health.

Very good
Good
Medium

Low
Very low
id Insufficient data

Example (2022): DO NOT CITE

Peru

PER

Based on most recent available data.

Version 2.02.

2022

Output (coverage)




Outcome (service use/behaviour)



Impact

New HIV infections

(ages 15+ trend vs. 2020 and 2025 targets)



2010 baseline

2020, 2021

2020 target

2025 target

2020 and 2025 targets represent the country's required contribution to global targets, a 75% reduction by 2020 and 82.5% reduction by 2025 against 2010 as a baseline.

ARV-based prevention

Composite PrEP score (0-10)	id
Number of people who received PrEP at least once in the past 12 months	id
% of PLHIV on ART	80

% of national PrEP need met	All pop.	id
% of PLHIV virally suppressed	Women 15+	0
	Men 15+	0

Key populations

Sex workers (SW)

Population size estimate for sex workers	67800
% of SWs who received at least two HIV prevention interventions (past 3 mo)	id
Prevention strategy includes core elements of SW prevention package	id

Condom use / last paid sex (%)	Sex workers	id
% on ART	Men 15-49	id
	SWs LHIV	id

HIV prevalence

Sex workers <25 years	2.6
Sex workers all ages	2.3

Gay men and other men who have sex with men (MSM)

Population size estimate for men who have sex with men	260000
% of MSM who received at least two HIV prevention interventions (past 3 mo)	11
Prevention strategy includes core elements of MSM prevention package	id

Condom use / last anal sex (%)	MSM	id
% on ART	MSM LHIV	id

MSM <25 years	7.0
MSM all ages	10.0

People who inject drugs (PWID)

Population size estimate for people who inject drugs	id
% of PWID who received at least two HIV prevention interventions (past 3 mo)	id
Prevention strategy includes core elements of PWID harm reduction package	id

% with safe injecting practices	PWID	id
% on opioid substitution therapy	PWID	id
% on ART	PWID LHIV	id

PWID <25 years	id
PWID all ages	id

Structural barriers and enablers

Criminalization of sex work	Yes
Criminalization of same-sex sexual acts	No
Criminalization of drug use/consumption or possession for personal use	#N/A
Criminalization of transgender people	No

% of people who avoided health care because of stigma and discrimination	Sex workers	id
	MSM	id
	PWID	id
	Transgender	id

Summary Scores

Sex workers	id
MSM	id
PWID	id
ART	8
PrEP	id

Women 15-24	0.1
Men 15-24	0.0
Adults, 15+	0.4

Acronyms: na ... not applicable;

PLHIV...people living with HIV; LHIV...living with HIV; YW...young women; YM...young men;

SRH ... sexual and reproductive health.

Very good

Good

Medium

Low

Very low

id Insufficient data

Country Scorecard Example (2022): DO NOT CITE


Now What?

- ❑ Follow the science
 - ❑ Implement at scale
 - ❑ Lead with equity
 - ❑ Ensure accountability for impact
-
- ❑ Precision
 - ❑ Effective & prioritized
 - ❑ People-centered choices
 - ❑ Community-led and innovative access platforms



Getting on Track: Taking a business unusual approach to recover momentum and realign efforts with 2025 and 2030 targets

- Intensify implementation of **effective evidence-based combination prevention programmes** at an **adequate scale for impact**
- **End stark inequalities** that fuel transmission and restrict access to services, including by strengthening social enablers
- Support implementing **differentiated and contextualized programmes** and interventions.
- Sharpen the focus on reaching the **95% coverage target for all at risk**, in all settings, taking into account the more granular HIV prevention targets set for 2025.
- Prioritise a **people-centred approach to the delivery of services** to make choices among the expanding array of HIV prevention options.
- Define responsibilities of policy makers and programme managers to **build systems that provide UHC, leaving no one behind**, that are **resilient against future health shocks**, and that support **communities as key partners** in pandemic responses.



Selected thematic resources for HIV prevention

Key populations

- [Budget-Considerations-for-KP-Trusted-Access-Platforms_final.pdf \(unaids.org\)](#)
- [Practical guidance for comprehensive HIV/STI programmes with sex workers, October 2013 – Unaids](#)
- [Practical guidance for comprehensive HIV and STI programmes with men who have sex with men, 2015 – Unaids](#)
- [Practical guidance for implementing comprehensive HIV and STI programmes with Transgender People, April 2016 – Unaids](#)
- [Practical guidance for implementing comprehensive HIV and HCV programmes with People Who Inject Drugs, May 2017 – Unaids](#)

Adolescent girls and young women

- [HIV prevention among adolescent girls and young women, July 2016 – Unaids](#)
- [Decision-making Aide for Investments into HIV Prevention Programmes among Adolescent Girls and Young Women – Unaids](#)
- [Preventing HIV and other STIs among women and girls using contraceptive services in contexts with high HIV incidence, June 2020 – Unaids](#)

Condom programming

- [Developing Effective Condom Programmes; Technical brief – Unaids](#)
- [Condom Needs and Resource Requirement Estimation Tool – Unaids](#)
- [Condom Planning Package, Version 1, June 2020 – Unaids](#)

VMMC/Men and Boys

- [Updated VMMC guidelines and recommendations including annexes](#)
- [VMMC policy brief](#)
- Enhancing uptake of voluntary medical male circumcision among adolescent boys and men at higher risk for HIV: evidence and case studies available [here](#)

PrEP

- [Collection of PrEP Implementation Tools and Guidelines](#)

For more examples and resources see: <https://hivpreventioncoalition.unaids.org/resources/>

