

from drop-down menu

Pillar scorecard

GPC

# HIV prevention among key populations

2024

Version

2.02.

Level of result	Indicator	Angola	Botswana	Cameroon	Central African Republic	Congo	Cote d'Ivoire	Democratic Republic of the Congo	Eswatini	Ethiopia	Ghana	Kenya	Lesotho	Malawi	Mozambique	Namibia	Nigeria	Papua New Guinea	Rwanda	South Africa	South Sudan	Uganda	United Republic of Tanzania	Zambia	Zimbabwe	Brazil	China	Colombia	Egypt	
Outcome	Condom use of sex workers with most recent client, % (reported by sex workers)	id	id	id	80	id	92	48	50	95	id	id	id	id	id	53	86	id	81	id	35	id	72	25	95	id	95	id	id	
	Condom use at last anal sex among MSM (%)	id	id	id	30	id	75	57	80	id	58	id	id	79	id	55	70	id	34	72	id	id	26	55	42	id	88	id	id	
	Condom use among transgender people (%)	id	id	id	id	id	50	52	id	id	78	id	id	50	id	id	66	id	id	77	id	id	id	id	82	id	id	75	id	
	Condom use at last paid sex act, % (reported by men)	71	id	83	id	75	id	34	id	81	id	id	90	75	id	67	74	48	75	83	id	73	id	56	90	id	id	85	id	
	% of PLHIV on ART – sex workers*	id	id	id	61	id	id	id	id	id	99	30	id	90	id	id	24	id	68	70	id	65	id	68	83	id	id	79	id	
	% of PLHIV on ART – men who have sex with men*	id	id	id	60	id	id	id	id	id	92	40	id	93	id	id	26	id	66	44	id	id	id	65	83	id	96	85	id	
	% of PLHIV on ART – people who inject drugs*	id	id	id	id	id	id	id	id	id	id	15	id	id	id	id	25	id	id	id	id	id	id	75	id	na	91	65	id	
	Safe injecting practices (people who inject drugs, %)	id	id	id	id	id	id	23	id	id	id	id	id	id	id	id	36	id	id	95	id	id	id	id	id	na	id	id	id	
	% of opioid users who receive opioid substitution therapy	id	id	id	id	id	id	id	id	id	id	13	id	id	id	id	id	id	id	1	id	id	26	id	id	na	id	id	id	
Coverage	<b>Sex workers</b>																													
	Population size estimate for female sex workers in 1000s**	id	id	id	id	id	id	526	id	id	id	197	id	39	id	9	id	52	99	id	id	id	156	id	id	id	id	337	id	
	% of all sex workers who received at least two HIV prevention interventions in the past three months	51	90	8	57	28	23	38	9	79	85	32	31	68	57	id	88	49	id	34	39	40	90	id	79	22	id	90	id	
	<b>Men who have sex with men</b>																													
	Population size estimate for men who have sex with men in 1000s**	id	id	id	id	id	id	id	4	id	id	id	id	50	id	id	id	78	29	310	id	id	3	id	id	id	id	id	id	
	% of all MSM who received at least two HIV prevention interventions in the past three months	3	32	10	42	67	39	39	29	id	53	20	26	65	31	33	96	7	id	10	id	20	4	5	26	30	id	14	1	
	<b>People who inject drugs</b>																													
	Population size estimate for people who inject drugs in 1000s**	id	id	id	id	id	id	168	id	id	id	id	id	id	id	id	id	id	id	id	id	id	id	id	id	id	na	id	id	id
	% of all people who inject drugs who received at least two HIV prevention interventions in the past three months	id	id	26	id	id	85	23	37	id	id	62	id	id	40	id	65	id	id	17	id	5	11	3	id	id	id	42	9	
	Number of needles and syringes per person who inject drugs	id	id	id	id	id	id	0	id	id	id	4	id	id	id	id	0	id	id	36	id	id	id	id	id	na	246	21	id	
<b>Transgender people</b>																														
Population size estimate for transgender people in 1000s**	id	id	id	id	id	id	57	id	id	id	id	id	id	id	id	id	5	id	179	id	8	id	id	id	id	id	id	id		
% of all TG people who received at least two HIV prevention interventions in the past three months	id	id	id	id	id	39	12	id	id	id	22	id	id	id	id	79	id	id	2	id	id	id	6	28	59	id	75	id		

\* Note that ART data reported can either be from surveys or programmes, and the latter usually give higher values. This limits comparability across countries.

\*\* The population size estimates reported can either be nationally representative or only for regions within the country where data is available. This limits comparability across countries.

Data sources for key population program coverage: Global Aids Monitoring 2023, Global Fund and PEPFAR reports obtained in 2023. Some of the data are triangulated and thus not nationally representative.

Legend

<span style="background-color: #4CAF50; width: 15px; height: 10px; display: inline-block;"></span>	Very good
<span style="background-color: #8BC34A; width: 15px; height: 10px; display: inline-block;"></span>	Good
<span style="background-color: #FFEB3B; width: 15px; height: 10px; display: inline-block;"></span>	Medium
<span style="background-color: #FFC107; width: 15px; height: 10px; display: inline-block;"></span>	Low
<span style="background-color: #FF5722; width: 15px; height: 10px; display: inline-block;"></span>	Very low
<span style="background-color: #F0F0F0; width: 15px; height: 10px; display: inline-block;"></span>	id Insufficient data
<span style="background-color: #A9A9A9; width: 15px; height: 10px; display: inline-block;"></span>	na Not applicable

India	Indonesia	Iran (Islamic Republic of)	Madagascar	Mexico	Myanmar	Pakistan	Peru	Philippines	Thailand	Ukraine	Vietnam	Source	Scale				
98	71	61	id	id	90	id	id	71	95	92	90	GAM/IBBS	95	90	80	70	0
55	63	id	id	id	57	id	55	59	86	77	69	GAM/IBBS	90	80	70	60	0
96	58	id	id	id	id	id	id	58	80	79	id	GAM/IBBS	90	80	70	60	0
95	id	id	13	id	77	id	id	id	id	84	id	DHS or other survey	90	80	70	60	0
60	27	id	id	id	59	10	id	id	70	78	47	GAM	90	80	70	60	0
60	43	id	id	id	44	2	id	id	80	55	32	GAM	90	80	70	60	0
54	58	id	id	id	id	14	id	id	77	86	62	GAM	90	80	70	60	0
91	92	89	id	id	id	id	id	62	87	97	96	IBBS/ GAM	95	90	80	70	0
19	1	5	id	9	21	id	id	id	9	11	28	IBBS/ GAM	50	40	25	10	0
995	272	id	id	240	78	id	id	128	id	id	id	GAM/Pop. size study					
77	46	35	93	id	90	6	33	72	86	44	18	GAM/ IBBS/prg. data	90	75	60	50	0
351	847	id	id	1200	268	id	296	801	600	id	256	GAM/ Pop. size study/ aidsinfo					
66	54	2	28	id	29	6	24	30	50	25	31	GAM/IBBS/prg. data	90	75	60	50	0
289	27	90	<1	id	116	id	id	<1	57	350	id	GAM/ Pop. size study/ aidsinfo					
46	59	26	100	id	57	37	id	0	35	44	44	GAM/ IBBS/prg. data	90	75	60	50	0
311	1	80	113	id	305	73	id	id	17	41	147	GAM/ Prg. records	200	160	120	80	0
96	43	id	id	123	9	id	id	239	id	13	id	GAM/Pop. size study/ aidsinfo					
id	67	id	id	id	id	28	0	38	44	23	18	GAM/IBBS/prg. data	90	75	60	50	0