Select country from dropdown menu							
Lesotho	LSO	Based on most recent available data.	Version	2.02.		2023	
Output (coverage)	\rightarrow	Outcome (service use/behaviour)			Impact		
Condoms Number of condoms distributed and sold / year (in millions)	1		Women 15-49	78	New HIV infections		2010 baseline
Number of condoms distributed/sold per couple-year (age range 15-64) Estimated condom distribution need met (%)	2	Condom use with non-regular partners (%)	Men 15-49	81	18'000 16'000		● 2020, 2022 ◆ 2020 target
Men and boys (including VMMC)					14'000		◆ 2025 target
Number of VMMCs performed / year (in thousands)	15	% of 2020 VMMC target achieved	Men	100	12'000		
% of annual VMMC target achieved	100	National male circumcision prevalence (%)	Men 15-24 Men 15-49	70 69	10'000 8'000 6'000		2020 and 2025 targets represer the country's
ARV-based prevention					6′000 4′000	4′40₹300	required contribution to
Composite PrEP score (0-10)	10	% of national PrEP need met	All pop.	id	2'000 4 100	•	global targets, a
Number of people who received PrEP at least once in the past 12 months	28128	% of PLHIV virally surpressed	Women 15+	88			75% reduction l 2020 and 82.5%
% of PLHIV on ART	86	% of FETHV viruly surpressed	Men 15+	79	2010 2015 2020	2025	reduction by 2025 against
Key populations					н	V prevalence	2010 as a
Sex workers (SW)							baseline.
Population size estimate for sex workers	7500	Condom use / last paid sex (%)	Sex workers	62	Sex workers <25 years	id	
% of SWs who received at least two HIV prevention interventions (past 3 mo)	31		Men 15-49	90	Sex workers all ages	id	
Prevention strategy includes core elements of SW prevention package	> Half	% on ART	SWs LHIV	id			
Gay men and other men who have sex with men (MSM)							Summary
Population size estimate for men who have sex with men	6100	Condom use / last anal sex (%)	MSM	46	MSM <25 years		Scores
% of MSM who received at least two HIV prevention interventions (past 3 mo)	26	% on ART	MSM LHIV	id	MSM all ages	id	AGYW
Prevention strategy includes core elements of MSM prevention package	> Half						8
People who inject drugs (PWID)							Sex worke
Population size estimate for people who inject drugs	id	% with safe injecting practices	PWID	id	PWID <25 years		4
% of PWID who received at least two HIV prevention interventions (past 3 mo)	id	% on opioid substitution therapy	D)4//D 11///	id	PWID all ages	id	MSM
Prevention strategy includes core elements of PWID harm reduction package	None	% on ART	PWID LHIV	id			4
Structural barriers and enablers	4N1 / A		Carringularia	0			PWID
Criminalization of sex work	#N/A	Overfine and a substantial beautiful and because of	Sex workers	8			id
Criminalization of drug use/consumption or possession for personal use	#N/A	% of people who avoided health care because of stigma and discrimination	MSM	id			Condom
Criminalization of drug use/consumption or possession for personal use Criminalization of transgender people	Yes No	33.5 4114 4136.1111111411011	PWID Transgender	id id			4 VMMC
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings	INU		Hansgenuer	lu			10
% of priority locations/districts with dedicated programs for AGYW & partners	90		Women 15-24	84	Women 15-24	7.4	ART
Educational policies on HIV & sexuality education (secondary school)	Yes	Condom use with non-regular partners (%)	Men 15-24	83	Men 15-24		9
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <12	% who completed lower secondary education	Girls	55	Adults, 15+		PrEP
Provider-initiated condom promotion integrated into SRH services	No/id	% of women experienced physical or sexual	Women 15-19	id	Addits, 131	21.0	10
HIV testing services integrated with SRH services	Yes	violence from husband/partner	Women 15-49	id			
Acronyms: na not applicable;		Very good			Low		
PLHIVpeople living with HIV; LHIVliving with HIV; YWyoung women; YMyoung men;		Good			Very low		
RH sexual and reproductive health.		Medium		id	Insufficient data		