Namibia	NAM	Based on most recent available data.	Version	2.02.		2024	
itput (coverage)		Outcome (service use/behaviour)		\rightarrow	Impact		
Condoms					New HIV infection	15	
Number of condoms distributed and sold / year (in millions)	3		Women 15-49	66	(ages 15+ trend vs. 2020 and 202		2010 baseline
Number of condoms distributed/sold per couple-year (age range 15-64)	4	Condom use with non-regular partners (%)	Men 15-49	82	12,000 11,000		• 2020, 2022
Estimated condom distribution need met (%)	11			02	12,000 11 000		 2020, 2022 2020 target
Men and boys (including VMMC)					10,000		 2025 target
Number of VMMCs performed / year (in thousands)	22	% of 2020 VMMC target achieved	Men	20	8,000		
% of annual VMMC target achieved	59	National male circumcision prevalence (%)	Men 15-24	22	6,000 5	600 5,500	2020 and 20
			Men 15-49	26	6,000		targets repr the country
ARV-based prevention			1011120 10	20	4,000	2 200	
Composite PrEP score (0-10)	10	% of national PrEP need met	All pop.	id	2,000 2.7	• 100	contributio global targe
Number of people who received PrEP at least once in the past 12 months	49904		Women 15+	90	27		75% reduct
% of PLHIV on ART	89	% of PLHIV virally surpressed		85	2010 2015 2	020 2025	2020 and 8 reduction b
	69		Men 15+	60		HIV prevalence	against 201
Key populations Sex workers (SW)						niv prevalence	baseline.
	0500		Coursestings	52	Conversion (25 m	14.0	
Population size estimate for sex workers	8500 id	Condom use / last paid sex (%)	Sex workers	53	Sex workers <25 ye		
% of SWs who received at least two HIV prevention interventions (past 3 mo)	id	(/ ADT	Men 15-49	67	Sex workers all a	ges 29.9	
Prevention strategy includes core elements of SW prevention package	> Half	% on ART	SWs LHIV	id			
Gay men and other men who have sex with men (MSM)					14614 - 25	2.6	Summ Scor
Population size estimate for men who have sex with men	id	Condom use / last anal sex (%)	MSM	55	MSM <25 ye		
% of MSM who received at least two HIV prevention interventions (past 3 mo)	33	% on ART	MSM LHIV	id	MSM all a	ges 7.8	AGY
Prevention strategy includes core elements of MSM prevention package	> Half			_			6
People who inject drugs (PWID)							Sex wo
Population size estimate for people who inject drugs	id	% with safe injecting practices	PWID	id	PWID <25 ye		id
% of PWID who received at least two HIV prevention interventions (past 3 mo)	id	% on opioid substitution therapy		id	PWID all a	ges id	MS
Prevention strategy includes core elements of PWID harm reduction package	None	% on ART	PWID LHIV	id			4
Structural barriers and enablers							PWI
Criminalization of sex work	Yes		Sex workers	id			id
Criminalization of same-sex sexual acts	No	% of people who avoided health care because of	MSM	id			Condo
Criminalization of drug use/consumption or possession for personal use	Yes	stigma and discrimination	PWID	id			4
Criminalization of transgender people	No		Transgender	id			VMN
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings							4
% of priority locations/districts with dedicated programs for AGYW & partners	53	Condom use with non-regular partners (%)	Women 15-24	68	Women 15	-24 5.0	AR
Educational policies on HIV & sexuality education (secondary school)	Yes		Men 15-24	84	Men 15	-24 2.2	9
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <14	% who completed lower secondary education	Girls	62	Adults, 2	15+ 11.5	PrE
Provider-initiated condom promotion integrated into SRH services	No/id	% of women experienced physical or sexual	Women 15-19	id			10
HIV testing services integrated with SRH services	Yes	violence from husband/partner	Women 15-49	id			
onyms: na not applicable;		Very good			Low		
IVpeople living with HIV; LHIVliving with HIV; YWyoung women; YMyoung men;		Good			Very low		