Select country from dropdown menu						
Nigeria	NGA	Based on most recent available data.	Version	2.02.	2023	
Output (coverage)		Outcome (service use/behaviour)			Impact	
Condoms					New HIV infections	
Number of condoms distributed and sold / year (in millions)	472	Condom use with non-regular partners (%)	Women 15-49 36	(ages 15+ trend vs. 2020 and 2025 targets)	2010 baseline	
Number of condoms distributed/sold per couple-year (age range 15-64)	8		Men 15-49		1	• 2020, 2022
Estimated condom distribution need met (%)	70				1	2020 target
Men and boys (including VMMC)					1	2025 target
Number of VMMCs performed / year (in thousands)	na	% of 2020 VMMC target achieved	Men	na	1	
% of annual VMMC target achieved	na	National male size maining annuales of (0/)	Men 15-24	96	1	2020 and 2025
		National male circumcision prevalence (%)	Men 15-49	99	0	targets represer the country's
ARV-based prevention					0	required contribution to
Composite PrEP score (0-10)	id	% of national PrEP need met	All pop.	id	0	global targets, a
Number of people who received PrEP at least once in the past 12 months	384429		Women 15+	id		75% reduction b 2020 and 82.5%
% of PLHIV on ART	id	% of PLHIV virally surpressed	Men 15+	id	2010 2015 <b>0</b> 2020 2025	reduction by
Key populations					HIV prevalence	2025 against 2010 as a
Sex workers (SW)						baseline.
Population size estimate for sex workers	906900		Sex workers	86	Sex workers <25 years 13.0	
% of SWs who received at least two HIV prevention interventions (past 3 mo)	88	Condom use / last paid sex (%)	Men 15-49	74	Sex workers all ages 16.7	
Prevention strategy includes core elements of SW prevention package	> Half	% on ART	SWs LHIV	24		
Gay men and other men who have sex with men (MSM)						Summary
Population size estimate for men who have sex with men	240000	Condom use / last anal sex (%)	MSM	70	MSM <25 years 17.4	Scores
% of MSM who received at least two HIV prevention interventions (past 3 mo)	96	% on ART	MSM LHIV	26	MSM all ages 25.0	AGYW
Prevention strategy includes core elements of MSM prevention package	> Half				_	5
People who inject drugs (PWID)		•				Sex worker
Population size estimate for people who inject drugs	446000	% with safe injecting practices		36	PWID <25 years 11.8	8
% of PWID who received at least two HIV prevention interventions (past 3 mo)	65	% on opioid substitution therapy	PWID	id	PWID all ages 10.9	MSM
Prevention strategy includes core elements of PWID harm reduction package	> Half	% on ART	PWID LHIV	25	-	8
Structural barriers and enablers		•				PWID
Criminalization of sex work	Yes		Sex workers	id		2
Criminalization of same-sex sexual acts	Yes	% of people who avoided health care because of	MSM	id		Condoms
Criminalization of drug use/consumption or possession for personal use	Yes	stigma and discrimination	PWID	id		6
Criminalization of transgender people	No		Transgender	id		VMMC
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings			-			na
% of priority locations/districts with dedicated programs for AGYW & partners	id		Women 15-24	38	Women 15-24 id	ART
Educational policies on HIV & sexuality education (secondary school)	Yes	Condom use with non-regular partners (%)	Men 15-24	62	Men 15-24 id	id
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <18	% who completed lower secondary education	Girls	59	Adults, 15+ id	PrEP
Provider-initiated condom promotion integrated into SRH services	Yes	% of women experienced physical or sexual	Women 15-19	13		id
HIV testing services integrated with SRH services	Yes	violence from husband/partner	Women 15-49	14		
cronyms: na not applicable;		Very good			Low	
HIVpeople living with HIV; LHIVliving with HIV; YWyoung women; YMyoung men;		Good			Very low	
RH sexual and reproductive health.		Medium		id	Insufficient data	