

Select country from dropdown menu

Ukraine

UKR

Based on most recent available data.

Version 2.02.

2023


Output (coverage)

Outcome (service use/behaviour)

Impact

New HIV infections

(ages 15+ trend vs. 2020 and 2025 targets)



2020 and 2025 targets represent the country's required contribution to global targets, a 75% reduction by 2020 and 82.5% reduction by 2025 against 2010 as a baseline.

ARV-based prevention

| | |
|--|------|
| Composite PrEP score (0-10) | id |
| Number of people who received PrEP at least once in the past 12 months | 9075 |
| % of PLHIV on ART | id |

| | | |
|-------------------------------|-----------|----|
| % of national PrEP need met | All pop. | 18 |
| % of PLHIV virally suppressed | Women 15+ | id |
| | Men 15+ | id |

Key populations

Sex workers (SW)

| | |
|---|--------|
| Population size estimate for sex workers | 86600 |
| % of SWs who received at least two HIV prevention interventions (past 3 mo) | 44 |
| Prevention strategy includes core elements of SW prevention package | > Half |

| | | |
|--------------------------------|-------------|----|
| Condom use / last paid sex (%) | Sex workers | 92 |
| % on ART | Men 15-49 | 84 |
| | SWs LHIV | 78 |

| | |
|-----------------------|-----|
| Sex workers <25 years | 0.7 |
| Sex workers all ages | 3.1 |

Gay men and other men who have sex with men (MSM)

| | |
|---|--------|
| Population size estimate for men who have sex with men | 179400 |
| % of MSM who received at least two HIV prevention interventions (past 3 mo) | 25 |
| Prevention strategy includes core elements of MSM prevention package | > Half |

| | | |
|--------------------------------|----------|----|
| Condom use / last anal sex (%) | MSM | 77 |
| % on ART | MSM LHIV | 55 |

| | |
|---------------|-----|
| MSM <25 years | 1.6 |
| MSM all ages | 3.9 |

People who inject drugs (PWID)

| | |
|--|--------|
| Population size estimate for people who inject drugs | 350300 |
| % of PWID who received at least two HIV prevention interventions (past 3 mo) | 44 |
| Prevention strategy includes core elements of PWID harm reduction package | > Half |

| | | |
|----------------------------------|-----------|----|
| % with safe injecting practices | PWID | 97 |
| % on opioid substitution therapy | PWID LHIV | 11 |
| % on ART | PWID LHIV | 86 |

| | |
|----------------|------|
| PWID <25 years | 2.4 |
| PWID all ages | 20.9 |

Structural barriers and enablers

| | |
|--|-----|
| Criminalization of sex work | Yes |
| Criminalization of same-sex sexual acts | No |
| Criminalization of drug use/consumption or possession for personal use | Yes |
| Criminalization of transgender people | No |

| | | |
|--|-------------|----|
| % of people who avoided health care because of stigma and discrimination | Sex workers | 21 |
| | MSM | 6 |
| | PWID | 10 |
| | Transgender | 8 |

| | |
|-------------|----|
| Women 15-24 | id |
| Men 15-24 | id |
| Adults, 15+ | id |

Summary Scores

| | |
|-------------|----|
| Sex workers | 6 |
| MSM | 5 |
| PWID | 6 |
| ART | id |
| PrEP | id |

Acronyms: na ... not applicable;

PLHIV...people living with HIV; LHIV...living with HIV; YW...young women; YM...young men;

SRH ... sexual and reproductive health.

| |
|-----------|
| Very good |
| Good |
| Medium |

| |
|-------------------|
| Low |
| Very low |
| id |
| Insufficient data |