

Select country from dropdown menu

Zambia

ZMB

Based on most recent available data.

Version 2.02.

2023

Output (coverage)

Outcome (service use/behaviour)

Impact

Output (coverage)		Outcome (service use/behaviour)		Impact		
Condoms				New HIV infections (ages 15+ trend vs. 2020 and 2025 targets)		
Number of condoms distributed and sold / year (in millions)	17	Condom use with non-regular partners (%)	Women 15-49	35	<p>2010 baseline 2020, 2022 2020 target 2025 target</p> <p>2020 and 2025 targets represent the country's required contribution to global targets, a 75% reduction by 2020 and 82.5% reduction by 2025 against 2010 as a baseline.</p>	
Number of condoms distributed/sold per couple-year (age range 15-64)	3		Men 15-49	54		
Estimated condom distribution need met (%)	16					
Men and boys (including VMMC)						
Number of VMMCs performed / year (in thousands)	384	% of 2020 VMMC target achieved	Men	90		
% of annual VMMC target achieved	100	National male circumcision prevalence (%)	Men 15-24	37		
			Men 15-49	32		
ARV-based prevention						
Composite PrEP score (0-10)	8	% of national PrEP need met	All pop.	id		
Number of people who received PrEP at least once in the past 12 months	162695	% of PLHIV virally suppressed	Women 15+	89		
% of PLHIV on ART	90		Men 15+	87		
Key populations				HIV prevalence		
<i>Sex workers (SW)</i>						
Population size estimate for sex workers	126000	Condom use / last paid sex (%)	Sex workers	id	Sex workers <25 years	id
% of SWs who received at least two HIV prevention interventions (past 3 mo)	id		Men 15-49	56	Sex workers all ages	id
Prevention strategy includes core elements of SW prevention package	> Half	% on ART	SWs LHIV	86		
<i>Gay men and other men who have sex with men (MSM)</i>						
Population size estimate for men who have sex with men	20000	Condom use / last anal sex (%)	MSM	58	MSM <25 years	id
% of MSM who received at least two HIV prevention interventions (past 3 mo)	5	% on ART	MSM LHIV	id	MSM all ages	id
Prevention strategy includes core elements of MSM prevention package	> Half					
<i>People who inject drugs (PWID)</i>						
Population size estimate for people who inject drugs	12000	% with safe injecting practices	PWID	id	PWID <25 years	id
% of PWID who received at least two HIV prevention interventions (past 3 mo)	3	% on opioid substitution therapy		id	PWID all ages	id
Prevention strategy includes core elements of PWID harm reduction package	> Half	% on ART	PWID LHIV	id		
<i>Structural barriers and enablers</i>						
Criminalization of sex work	Yes	% of people who avoided health care because of stigma and discrimination	Sex workers	id		
Criminalization of same-sex sexual acts	Yes		MSM	id		
Criminalization of drug use/consumption or possession for personal use	Yes		PWID	id		
Criminalization of transgender people	Yes		Transgender	id		
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings						
% of priority locations/districts with dedicated programs for AGYW & partners	28	Condom use with non-regular partners (%)	Women 15-24	34	Women 15-24	4.5
Educational policies on HIV & sexuality education (secondary school)	Yes		Men 15-24	49	Men 15-24	1.9
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <16	% who completed lower secondary education	Girls	50	Adults, 15+	12.0
Provider-initiated condom promotion integrated into SRH services	Yes	% of women experienced physical or sexual violence from husband/partner	Women 15-19	27		
HIV testing services integrated with SRH services	Partial		Women 15-49	25		

Summary Scores

AGYW	3
Sex workers	id
MSM	3
PWID	0
Condoms	3
VMMC	10
ART	9
PrEP	8

Acronyms: na ... not applicable;

PLHIV...people living with HIV; LHIV...living with HIV; YW...young women; YM...young men;

SRH ... sexual and reproductive health.

Very good

Good

Medium

Low

Very low

id Insufficient data