Select country from dropdown menu							
Zimbabwe	ZWE	Based on most recent available data.	Version	2.02.		2023	
Output (coverage)		Outcome (service use/behaviour)			Impact		
Condoms					New HIV infect		
Number of condoms distributed and sold / year (in millions)	120	0 1 11 11 11 11 11	Women 15-49 65 Men 15-49 82		(ages 15+ trend vs. 2020 and 2025 targets) 70'000		2010 baseline
Number of condoms distributed/sold per couple-year (age range 15-64)	30	Condom use with non-regular partners (%)					2020, 2022
Estimated condom distribution need met (%)	100				61 000		◆2020 target
Men and boys (including VMMC)					50'000		◆ 2025 target
Number of VMMCs performed / year (in thousands)	171	% of 2020 VMMC target achieved	Men	25			
% of annual VMMC target achieved	73	National male circumcision prevalence (%)	Men 15-24 Men 15-49	19 14	40'000 30'000		2020 and 2025 targets represer the country's
ARV-based prevention					20'000	16 000 12 000	required
Composite PrEP score (0-10)	8	% of national PrEP need met	All pop.	id	10'000	13'000 15 000	contribution to global targets, a
Number of people who received PrEP at least once in the past 12 months	79602		Women 15+	93			75% reduction b 2020 and 82.5%
% of PLHIV on ART	94	% of PLHIV virally surpressed	Men 15+	88	2010 2015	2020 2025	reduction by
Key populations						HIV prevalence	2025 against 2010 as a
Sex workers (SW)							baseline.
Population size estimate for sex workers	id	Condom use / last raid say /0/	Sex workers	95	Sex workers <25	years 25.0	
% of SWs who received at least two HIV prevention interventions (past 3 mo)	79	Condom use / last paid sex (%)	Men 15-49	90	Sex workers a	ll ages 45.1	
Prevention strategy includes core elements of SW prevention package	> Half	% on ART	SWs LHIV	83			
Gay men and other men who have sex with men (MSM)							Summary
Population size estimate for men who have sex with men	23000	Condom use / last anal sex (%)	MSM	69	MSM <25	years 8.5	Scores
% of MSM who received at least two HIV prevention interventions (past 3 mo)	26	% on ART	MSM LHIV	83	MSM a	ll ages 21.1	AGYW
Prevention strategy includes core elements of MSM prevention package	> Half						7
People who inject drugs (PWID)							Sex worke
Population size estimate for people who inject drugs	id	% with safe injecting practices	PWID	id	PWID <25	years id	8
% of PWID who received at least two HIV prevention interventions (past 3 mo)	id	% on opioid substitution therapy	1 WID	id	PWID a	ll ages id	MSM
Prevention strategy includes core elements of PWID harm reduction package	None	% on ART	PWID LHIV	id			5
Structural barriers and enablers							PWID
Criminalization of sex work	Yes		Sex workers	39			id
Criminalization of same-sex sexual acts	Yes	% of people who avoided health care because of	MSM	8			Condoms
Criminalization of drug use/consumption or possession for personal use	Yes	stigma and discrimination	PWID	id			9
Criminalization of transgender people	No		Transgender	11			VMMC
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings							5
% of priority locations/districts with dedicated programs for AGYW & partners	89	Condom use with non-regular partners (%)	Women 15-24	54	Women	15-24 4.4	ART
Educational policies on HIV & sexuality education (secondary school)	Yes	constant ase man non regular pareners (70)	Men 15-24	81	Men	15-24 2.8	9
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <16	% who completed lower secondary education	Girls	53	Adult	ts, 15+ 12.1	PrEP
Provider-initiated condom promotion integrated into SRH services	Yes	% of women experienced physical or sexual	Women 15-19	31			8
HIV testing services integrated with SRH services	Yes	violence from husband/partner	Women 15-49	19			
Acronyms: na not applicable;		Very good			Low		
PLHIVpeople living with HIV; LHIVliving with HIV; YWyoung women; YMyoung men;		Good		:4	Very low		
RH sexual and reproductive health.		Medium		10	Insufficient data		