Zimbabwe	ZWE	Based on most recent available data.	Version	2.02.	
utput (coverage)		Outcome (service use/behaviour)			Imp
Condoms					New HIV i
Number of condoms distributed and sold / year (in millions)	115	Condom use with non-regular partners (%)	Women 15-49	65	(ages 15+ trend vs. 20
Number of condoms distributed/sold per couple-year (age range 15-64)	28		Men 15-49	82	70,000
Estimated condom distribution need met (%)	100			02	62 000
Men and boys (including VMMC)		•			60,000
Number of VMMCs performed / year (in thousands)	156	% of 2020 VMMC target achieved	Men	25	50,000
% of annual VMMC target achieved	73		Men 15-24	19	40,000
	National male circumcision prevalence (National male circumcision prevalence (%)	Men 15-49	22	30,000
ARV-based prevention					20,000
Composite PrEP score (0-10)	5	% of national PrEP need met	All pop.	68	10,000
Number of people who received PrEP at least once in the past 12 months	30396	% of PLHIV virally surpressed	Women 15+	97	
% of PLHIV on ART	95		Men 15+	86	2010 2015
Key populations					
Sex workers (SW)					
Population size estimate for sex workers	id		Sex workers	95	Sex worker
% of SWs who received at least two HIV prevention interventions (past 3 mo)	79	Condom use / last paid sex (%)	Men 15-49	90	Sex work
Prevention strategy includes core elements of SW prevention package	> Half	% on ART	SWs LHIV	83	
Gay men and other men who have sex with men (MSM)		·			
Population size estimate for men who have sex with men	id	Condom use / last anal sex (%)	MSM	42	MSN
% of MSM who received at least two HIV prevention interventions (past 3 mo)	26	% on ART	MSM LHIV	83	Μ
Prevention strategy includes core elements of MSM prevention package	> Half				
People who inject drugs (PWID)		·			
Population size estimate for people who inject drugs	id	% with safe injecting practices	PWID	id	PWI
% of PWID who received at least two HIV prevention interventions (past 3 mo)	id	% on opioid substitution therapy		id	PV
Prevention strategy includes core elements of PWID harm reduction package	< Half	% on ART	PWID LHIV	id	
Structural barriers and enablers					
Criminalization of sex work	Yes		Sex workers	44	
Criminalization of same-sex sexual acts	Yes	% of people who avoided health care because of	MSM	8	
Criminalization of drug use/consumption or possession for personal use	Yes	stigma and discrimination	PWID	id	
Criminalization of transgender people	No		Transgender	11	
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings		-			
% of priority locations/districts with dedicated programs for AGYW & partners	90	Condom use with non-regular partners (%)	Women 15-24	54	Wa
Educational policies on HIV & sexuality education (secondary school)	Yes		Men 15-24	81	
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <16	% who completed lower secondary education	Girls	53	
Provider-initiated condom promotion integrated into SRH services	Yes	% of women experienced physical or sexual	Women 15-19	31	
HIV testing services integrated with SRH services	Yes	violence from husband/partner	Women 15-49	19	
onyms: na not applicable;		Very good			Low
IVpeople living with HIV; LHIVliving with HIV; YWyoung women; YMyoung men;		Good			Very low
I sexual and reproductive health.		Medium		id	Insufficient data

