




New HIV infections among adults aged 15+




New HIV infections among adults rose slightly by **8%**. Focusing prevention programme scale up in high-burden and high incidence states is required to achieve the 2020 targets.



New HIV infections



HIV prevalence among young people (%)



GLOBAL TARGET **-75%**

ADOLESCENT GIRLS, YOUNG WOMEN & MALE PARTNERS

Condom use with a non-regular partner among young people (%)

Young women: 38, Young men: 62. Target: 90%.

Country messages: HIV prevention programmes are integrated into existing sexual and reproductive health projects for women and girls, but data are insufficient. The NAHS incidence data analysis will enable the prioritization of high-incidence states for strategic interventions.

Score: 0

SEX WORKERS

Condom use at last paid sex (%)

Sex workers: 98, Clients: 66. Target: 95%.

Country messages: A considerable percentage of transactional sex acts are still unprotected. Coverage of programmes for key populations needs to be scaled up in all states and the Federal Capital Territory; size estimations need to be conducted in 19 states and the Federal Capital Territory.

Score: 6

GAY MEN & OTHER MEN WHO HAVE SEX WITH MEN

Condom use at last anal sex (%)

Men who have sex with men: 51. Target: 90%.

Country messages: Condom and lubricant programming for gay men and other men who have sex with men needs to be strengthened. The implementation of the total market approach to condom and lubricant programming should be expanded.

Score: 4

PEOPLE WHO INJECT DRUGS

Condom use with a non-regular partner

With safe injections: 41, On OST: 41. Target: 95%.

Country messages: Harm reduction programmes have begun and need to be scaled up. The non-health sector reporting system needs to be strengthened.

Score: 0

CONDOMS

Condom use with a non-regular partner

Women 15-49: 36, Men 15-49: 65. Target: 90%.

Country messages: Data collection on condom and lubricant programming from the private sector is limited, and condom distribution data are underreported. Condom and lubricant programming in high-incidence priority states should be strengthened.

Score: 5

VOLUNTARY MEDICAL MALE CIRCUMCISION

Uptake of voluntary medical male circumcision

% of 2020 target achieved: 99. Target: 90%.

Country messages: Annual voluntary medical male circumcision target achieved.

Score: Not applicable

PRE-EXPOSURE PROPHYLAXIS

118 Number of people who used oral PrEP at least once during the past 12 months

People on Pre-exposure Prophylaxis/100 new infections: 0. Target: 73%.

Country messages: Pre-exposure Prophylaxis is currently not implemented in public health facilities, but there is evidence of over-the-counter purchases.

Score: 0

ANTIRETROVIRAL TREATMENT


42 People Living with HIV virally suppressed

Target: 73%.

Score: Not applicable

Scores (0-10) Very good Good Medium Low Very low

Estimated HIV prevention financing and gaps



Enablers & systems



Status of 10 Roadmap actions

Action	Baseline	2019
1 - Needs assessment	Not done	Done
2 - Prevention targets	Not done	Done
3 - Prevention strategy	Not done	Done
4 - Policy reform	Not done	Done
5a - Key populations size estimates	Not done	Done
5b - Defined key populations package	Not done	Done
5c - Adolescent Girls and Young Women size estimates	Not done	Done
5d - Adolescent Girls and Young Women package	Not done	Done
6 - Capacity & TA plan	Not done	Done
7 - Social contracting	Not done	Done
8 - Financial gap analysis	Not done	Done
9 - Strengthen monitoring	Not done	Done
10 - Performance review	Not done	Done



NEXT STEPS:

- > Review and update the prevention data management system.
- > Develop subnational prevention targets and operational plans in priority states.
- > Build capacity of subnational program officers for coordinating prevention programmes, data management and resource mobilization.
- > Develop prevention packages and scale up programs for adolescent girls and young women in priority states.