HIV prevention among young women thematic summary 2019 Version 2.01. 2.01. Version

Thematic area	Indicator	Source	Angola	Botswana	Cameroon	Cote dIvoire	DR Congo	Ethiopia	Ghana	Kenya	Lesotho	Malawi	Mozambique	Namibia	Nigeria	South Africa	eSwatini	Tanzania	Uganda	Zambia	Zimbabwe	Brazil	China	India	Indonesia	Iran	Mexico	Myanmar	Pakistan	Ukraine	Scale				
Outcome	Condom use with non-regular partners (young women, 15-24)	DHS, other surveys	33	id	61	48	24	24	19	60	82	53	51	68	38	47	71	49	44	40	57	na	na	na	na	na	na	na	na	na	90	75	60	50	0
	Condom use with non-regular partners (young men, 15-24)	DHS, other surveys	52	id	77	67	31	55	39	77	79	77	48	82	62	68	93	86	63	50	84	na	na	na	na	na	na	na	na	na	90	75	60	50	0
	% who had multiple sexual partners (sexually active YW 15-24)	DHS, other surveys	3	26	10	4	3	1	4	3	9	2	4	5	1	9	4	6	5	3	3	na	na	na	na	na	na	na	na	na	5	10	15	20	100
	% who had multiple sexual partners (men 15-49)	DHS, other surveys	18	41	29	24	22	3	14	13	27	13	21	10	13	18	14	21	21	16	14	na	na	na	na	na	na	na	na	na	5	10	15	20	100
	% of ever-married or partnered women 15–49 who experienced physical or sexual violence from a male intimate partner in the past 12 months	GAM	26	29	id	31	37	20	id	25	1	41	16	20	11	21	id	30	50	27	20	na	na	na	na	na	na	na	na	na	5	10	15	20	100
	% of adolescent girls who completed lower secondary education	UNICEF or national	id	66	68	28	49	17	50	69	46	32	10	62	45	86	52	27	22	48	74	na	na	na	na	na	na	na	na	na	90	75	60	50	0
	Knows a formal source for condoms (young women 15-24)	DHS	id	id	71	67	53	id	72	71	85	id	66	91	46	id	85	id	id	84	48	na	na	na	na	na	na	na	na	na	90	80	70	60	0
	Knows a formal source for condoms (young men 15-24)	DHS	id	id	87	88	78	id	88	88	87	id	id	94	68	id	88	id	id	94	86	na	na	na	na	na	na	na	na	na	90	80	70	60	0
Output	% of priority districts (administrative areas) with dedicated programs for young women & male partners (full package)	Program records	id	41	id	100	id	id	id	83	100	26	46	12	id	29	71	19	32	17	17	na	na	na	na	na	na	na	na	na	90	75	60	50	0
	% of adolescent girls and young women in high-HIV incidence communities reached with two interventions in the past 3 months	Program records	id	id	id	id	id	id	id	id	id	id	id	id	id	id	id	id	id	id	id	na	na	na	na	na	na	na	na	na	80	60	40	20	0

Legend	
	Very good
	Good
	Medium
	Low
	Very low
id	Insufficient data
na	Not applicable