

DR Congo

2019 Based on most recent available data.

Version 2.01.


Coverage

Outcome

Impact

Summary

Coverage				Outcome				Impact		Summary	
Condoms				Condom use with non-regular partners (%)	Women 15-49	23	New HIV infections (ages 15+, in 1000s)	2018; 12	5	Scores	AGYW&MPs
Number of condoms distributed and sold / year (in millions)		168	Men 15-49		34	4					
Number of condoms distributed and sold per man 15-64 / year		7				SW					
% of condom distribution need met		21				id				MSM	
Voluntary medical male circumcision (VMMC)				% of 2020 VMMC target achieved	Men	na	National MC prevalence (%)	2018; 12	5	Scores	id
Number of VMMCs performed / year (in thousands)		na	Men 15-24		id	0					
% of annual VMMC target achieved		na	Men 15-49		id	PWID					
ARV-based prevention				% of national PrEP need met	All pop.	id	HIV prevalence	2010	2015	2020	0
Composite PrEP score (0-10)		4				Condoms					
Number of people who received PrEP at least once in the past 12 months		356	% of PLHIV on ART		All PLHIV	57					2
				% of PLHIV virally suppressed	All PLHIV	8					VMMC
Key populations											
<i>Sex workers (SW)</i>				reported by							
Population size estimate for sex workers (in thousands)		350	Condom use / last paid sex (%)	Sex workers	69	Sex workers <25 years	5			na	
% of SWs who received at least two HIV prevention interventions (past 3 mo)		id	Condom use / last paid sex (%)	Men 15-49	34	Sex workers all ages	6			PrEP	
<i>Men who have sex with men (MSM)</i>											
Population size estimate for men who have sex with men (in thousands)		id	Condom use / last anal sex (%)	MSM	77	MSM <25 years	2			4	
% of MSM who received at least two HIV prevention interventions (past 3 mo)		id				MSM all ages	3				
<i>People who inject drugs (PWID)</i>											
Population size estimate for people who inject drugs (in thousands)		id	% with safe injecting practices	PWID	22	PWID <25 years	6				
% of PWID who received at least two HIV prevention interventions (past 3 mo)		id	% of PWID on OST	PWID	id	PWID all ages	6				
<i>Structural barriers and enablers</i>											
Training on HIV-related rights & non-discrimination: law enforcement officials		id	% of people who avoided health care because of stigma and discrimination	Sex workers	id						
Training on HIV-related rights & non-discrimination: health care workers		id		MSM	id						
				PWID	id						
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings											
% of priority locations/districts with dedicated programs for AGYW & partners		id	Condom use with non-regular partners (%)	YW 15-24	24	Young women 15-24	0.5				
% of girls who completed lower secondary education		49		YM 15-24	31	Young men 15-24	0.2				
Sexual and reproductive health and rights strategy: Level of HIV linkages (%)		id				Adults 15-49	0.8				
<i>Background population-level factors</i>											
% of women 15-49 experienced physical or sexual violence f. husband/partner		37	% who had multiple sexual partners	Men 15-49	22						
% of married women who decide on their own health care		11									
Acronyms			Very good			Low					
na ... not applicable			Good			Very low					
OST ... opioid substitution therapy			Medium		id	Insufficient data					



Category	Score
AGYW&MPs	4
SW	id
MSM	id
PWID	0
Condoms	2
VMMC	na
PrEP	4