

# Mexico

2019 Based on most recent available data.


Version 2.01.

## Coverage

## Outcome

## Impact

## Summary



### Scores

SW	id
MSM	id
PWID	2

PrEP	5
------	---

### ARV-based prevention

Indicator	Score	Target	Reported by
Composite PrEP score (0-10)	5		All pop.
Number of people who received PrEP at least once in the past 12 months	1120		All PLHIV
% of national PrEP need met			All PLHIV
% of PLHIV on ART			All PLHIV
% of PLHIV virally suppressed			All PLHIV

### Key populations

#### Sex workers (SW)

Indicator	Score	Target	Reported by	HIV prevalence
Population size estimate for sex workers (in thousands)	240		Sex workers	Sex workers <25 years
% of SWs who received at least two HIV prevention interventions (past 3 mo)	id		Men 15-49	Sex workers all ages

#### Men who have sex with men (MSM)

Population size estimate for men who have sex with men (in thousands)	1200		MSM	MSM <25 years
% of MSM who received at least two HIV prevention interventions (past 3 mo)	id			MSM all ages

#### People who inject drugs (PWID)

Population size estimate for people who inject drugs (in thousands)	110		PWID	PWID <25 years
% of PWID who received at least two HIV prevention interventions (past 3 mo)	id		PWID	PWID all ages

#### Structural barriers and enablers

Training on HIV-related rights & non-discrimination: law enforcement officials	Limited	% of people who avoided health care because of stigma and discrimination	Sex workers	id
Training on HIV-related rights & non-discrimination: health care workers	National		MSM	id
			PWID	id

Young women 15-24	<0.1
Young men 15-24	<0.1
Adults 15-49	0.2

Acronyms	Score	Quality	Reported by	Impact
na ... not applicable		Good		Very low
OST ... opioid substitution therapy		Medium	id	Insufficient data