

Nigeria

2019 Based on most recent available data.

Version 2.01.

Coverage

Outcome

Impact

Summary

Coverage		Outcome		Impact		Summary		
Condoms								
Number of condoms distributed and sold / year (in millions)	587	Condom use with non-regular partners (%)	Women 15-49	36	New HIV infections (ages 15+, in 1000s)	Scores		
Number of condoms distributed and sold per man 15-64 / year	11		Men 15-49	65		AGYW&MPs	4	
% of condom distribution need met	55					SW	6	
Voluntary medical male circumcision (VMMC)								
Number of VMMCs performed / year (in thousands)	na	% of 2020 VMMC target achieved	Men	na		MSM	4	
% of annual VMMC target achieved	na		National MC prevalence (%)	Men 15-24		99	PWID	0
ARV-based prevention								
Composite PrEP score (0-10)	0	% of national PrEP need met	All pop.	id			Condoms	5
Number of people who received PrEP at least once in the past 12 months	118	% of PLHIV on ART	All PLHIV	53		VMMC	na	
		% of PLHIV virally suppressed	All PLHIV	42		PrEP	0	
Key populations								
<i>Sex workers (SW)</i>				reported by		HIV prevalence		
Population size estimate for sex workers (in thousands)	408	Condom use / last paid sex (%)	Sex workers	98	Sex workers <25 years	10		
% of SWs who received at least two HIV prevention interventions (past 3 mo)	44	Condom use / last paid sex (%)	Men 15-49	66	Sex workers all ages	14		
<i>Men who have sex with men (MSM)</i>								
Population size estimate for men who have sex with men (in thousands)	227	Condom use / last anal sex (%)	MSM	51	MSM <25 years	19		
% of MSM who received at least two HIV prevention interventions (past 3 mo)	25				MSM all ages	23		
<i>People who inject drugs (PWID)</i>								
Population size estimate for people who inject drugs (in thousands)	170	% with safe injecting practices	PWID	41	PWID <25 years	2		
% of PWID who received at least two HIV prevention interventions (past 3 mo)	id	% of PWID on OST	PWID	id	PWID all ages	3		
<i>Structural barriers and enablers</i>								
Training on HIV-related rights & non-discrimination: law enforcement officials	National	% of people who avoided health care because of stigma and discrimination	Sex workers	id				
Training on HIV-related rights & non-discrimination: health care workers	National		MSM	id				
			PWID	id				
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings								
% of priority locations/districts with dedicated programs for AGYW & partners	id	Condom use with non-regular partners (%)	YW 15-24	38	Young women 15-24	0.8		
% of girls who completed lower secondary education	45		YM 15-24	62	Young men 15-24	0.2		
Sexual and reproductive health and rights strategy: Level of HIV linkages (%)	0				Adults 15-49	1.4		
<i>Background population-level factors</i>								
% of women 15-49 experienced physical or sexual violence f. husband/partner	11	% who had multiple sexual partners	Men 15-49	13				
% of married women who decide on their own health care	6							
Acronyms								
na ... not applicable		Very good			Low			
OST ... opioid substitution therapy		Good			Very low			
		Medium		id	Insufficient data			