

Uganda

2019 Based on most recent available data.

Version 2.01.

Coverage

Outcome

Impact

Summary

Coverage		Outcome		Impact		Summary	
Condoms							
Number of condoms distributed and sold / year (in millions)	281	Condom use with non-regular partners (%)	Women 15-49	38		Scores AGYW&MPs 3 SW id MSM id PWID 1 Condoms 7 VMMC 7 PrEP 10	
Number of condoms distributed and sold per man 15-64 / year	25		Men 15-49	62			
% of condom distribution need met	93						
Voluntary medical male circumcision (VMMC)							
Number of VMMCs performed / year (in thousands)	704	% of 2020 VMMC target achieved	Men	40			
% of annual VMMC target achieved	77	National MC prevalence (%)	Men 15-24	49			
			Men 15-49	43			
ARV-based prevention							
Composite PrEP score (0-10)	10	% of national PrEP need met	All pop.	id			
Number of people who received PrEP at least once in the past 12 months	10779	% of PLHIV on ART	All PLHIV	86			
		% of PLHIV virally suppressed	All PLHIV	61			
Key populations							
<i>Sex workers (SW)</i>			reported by		HIV prevalence		
Population size estimate for sex workers (in thousands)	130	Condom use / last paid sex (%)	Sex workers	69	Sex workers <25 years	id	
% of SWs who received at least two HIV prevention interventions (past 3 mo)	id	Condom use / last paid sex (%)	Men 15-49	73	Sex workers all ages	31	
<i>Men who have sex with men (MSM)</i>							
Population size estimate for men who have sex with men (in thousands)	22	Condom use / last anal sex (%)	MSM	39	MSM <25 years	id	
% of MSM who received at least two HIV prevention interventions (past 3 mo)	id				MSM all ages	13	
<i>People who inject drugs (PWID)</i>							
Population size estimate for people who inject drugs (in thousands)	7	% with safe injecting practices	PWID	id	PWID <25 years	17	
% of PWID who received at least two HIV prevention interventions (past 3 mo)	8	% of PWID on OST	PWID	id	PWID all ages	17	
<i>Structural barriers and enablers</i>							
Training on HIV-related rights & non-discrimination: law enforcement officials	Limited	% of people who avoided health care because of stigma and discrimination	Sex workers	id			
Training on HIV-related rights & non-discrimination: health care workers	National		MSM	id			
			PWID	64			
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings							
% of priority locations/districts with dedicated programs for AGYW & partners	32	Condom use with non-regular partners (%)	YW 15-24	44	Young women 15-24	3.3	
% of girls who completed lower secondary education	22		YM 15-24	63	Young men 15-24	0.8	
Sexual and reproductive health and rights strategy: Level of HIV linkages (%)	54				Adults 15-49	6.0	
<i>Background population-level factors</i>							
% of women 15-49 experienced physical or sexual violence f. husband/partner	50	% who had multiple sexual partners	Men 15-49	21			
% of married women who decide on their own health care	30						
Acronyms		Very good			Low		
na ... not applicable		Good			Very low		
OST ... opioid substitution therapy		Medium		id	Insufficient data		