

Indonesia

2019 Based on most recent available data.


Version 2.01.

Coverage

Outcome

Impact

Summary



Scores

SW	4
MSM	5
PWID	5

PrEP

0

ARV-based prevention

Composite PrEP score (0-10)	0	% of national PrEP need met	All pop.	id
Number of people who received PrEP at least once in the past 12 months	0	% of PLHIV on ART	All PLHIV	17
		% of PLHIV virally suppressed	All PLHIV	id

Key populations

Sex workers (SW)

			reported by		HIV prevalence
Population size estimate for sex workers (in thousands)	230	Condom use / last paid sex (%)	Sex workers	68	Sex workers <25 years
% of SWs who received at least two HIV prevention interventions (past 3 mo)	40	Condom use / last paid sex (%)	Men 15-49	33	Sex workers all ages

Men who have sex with men (MSM)

Population size estimate for men who have sex with men (in thousands)	750	Condom use / last anal sex (%)	MSM	81	MSM <25 years
% of MSM who received at least two HIV prevention interventions (past 3 mo)	20				MSM all ages

People who inject drugs (PWID)

Population size estimate for people who inject drugs (in thousands)	34	% with safe injecting practices	PWID	89	PWID <25 years
% of PWID who received at least two HIV prevention interventions (past 3 mo)	44	% of PWID on OST	PWID	11	PWID all ages

Structural barriers and enablers

Training on HIV-related rights & non-discrimination: law enforcement officials	id	% of people who avoided health care because of stigma and discrimination	Sex workers	id
Training on HIV-related rights & non-discrimination: health care workers	id		MSM	id
			PWID	id

Young women 15-24	0.2
Young men 15-24	0.3
Adults 15-49	0.4

Acronyms				
na ... not applicable		Very good		Low
OST ... opioid substitution therapy		Good		Very low
		Medium	id	Insufficient data