

Output (coverage)

Outcome (service use/behaviour)

Impact

Summary

Output (coverage)		Outcome (service use/behaviour)		Impact		Summary																														
Condoms																																				
Number of condoms distributed and sold / year (in millions)	55	Condom use with non-regular partners (%)	Women 15-49	37	New HIV infections (ages 15+, in 1000s)	<table border="1"> <tr><th colspan="2">Scores</th></tr> <tr><td>AGYW&MPs</td><td></td></tr> <tr><td>id</td><td></td></tr> <tr><td>SW</td><td></td></tr> <tr><td>6</td><td></td></tr> <tr><td>MSM</td><td></td></tr> <tr><td>6</td><td></td></tr> <tr><td>PWID</td><td></td></tr> <tr><td>2</td><td></td></tr> <tr><td>Condoms</td><td></td></tr> <tr><td>4</td><td></td></tr> <tr><td>VMMC</td><td></td></tr> <tr><td>na</td><td></td></tr> <tr><td>PrEP</td><td></td></tr> <tr><td>3</td><td></td></tr> </table>	Scores		AGYW&MPs		id		SW		6		MSM		6		PWID		2		Condoms		4		VMMC		na		PrEP		3	
Scores																																				
AGYW&MPs																																				
id																																				
SW																																				
6																																				
MSM																																				
6																																				
PWID																																				
2																																				
Condoms																																				
4																																				
VMMC																																				
na																																				
PrEP																																				
3																																				
Number of condoms distributed and sold per man 15-64 /year	8	Men 15-49	50																																	
% of condom distribution need met for men 15-64	28																																			
Voluntary medical male circumcision (VMMC)																																				
Number of VMMCs performed / year (in thousands)	na	% of 2020 VMMC target achieved	Men	na																																
% of annual VMMC target achieved	na	National male circumcision prevalence (%)	Men 15-24	96																																
			Men 15-49	97																																
ARV-based prevention																																				
Composite PrEP score (0-10)	3	% of national PrEP need met	All pop.	id	<table border="1"> <tr><th colspan="2">HIV prevalence</th></tr> <tr><td>Sex workers <25 years</td><td>6</td></tr> <tr><td>Sex workers all ages</td><td>13</td></tr> <tr><td>MSM <25 years</td><td>16</td></tr> <tr><td>MSM all ages</td><td>12</td></tr> <tr><td>PWID <25 years</td><td>0</td></tr> <tr><td>PWID all ages</td><td>6</td></tr> </table>	HIV prevalence		Sex workers <25 years	6	Sex workers all ages	13	MSM <25 years	16	MSM all ages	12	PWID <25 years	0	PWID all ages	6																	
HIV prevalence																																				
Sex workers <25 years	6																																			
Sex workers all ages	13																																			
MSM <25 years	16																																			
MSM all ages	12																																			
PWID <25 years	0																																			
PWID all ages	6																																			
Number of people who received PrEP at least once in the past 12 months	439	% of PLHIV virally suppressed	Women 15+	57																																
% of PLHIV on ART	63	% of PLHIV virally suppressed	Men 15+	43																																
Key populations																																				
<i>Sex workers (SW)</i>																																				
Population size estimate for sex workers (in thousands)	50	Condom use / last paid sex (%)	Sex workers	76	Sex workers <25 years	6																														
% of SWs who received at least two HIV prevention interventions (past 3 mo)	77	Condom use / last paid sex (%)	Men 15-49	42	Sex workers all ages	13																														
Prevention strategy includes core elements of SW prevention package	All	% of PLHIV on ART	SWs LHIV	22																																
<i>Gay men and other men who have sex with men (MSM)</i>																																				
Population size estimate for men who have sex with men (in thousands)	36	Condom use / last anal sex (%)	MSM	75	MSM <25 years	16																														
% of MSM who received at least two HIV prevention interventions (past 3 mo)	38	% of PLHIV on ART	MSM LHIV	10	MSM all ages	12																														
Prevention strategy includes core elements of MSM prevention package	All																																			
<i>People who inject drugs (PWID)</i>																																				
Population size estimate for people who inject drugs (in thousands)	0	% with safe injecting practices	PWID	id	PWID <25 years	0																														
% of PWID who received at least two HIV prevention interventions (past 3 mo)	16	% on opioid substitution therapy	PWID	id	PWID all ages	6																														
Prevention strategy includes core elements of PWID harm reduction package	Some	% of PLHIV on ART	PWID LHIV	1																																
<i>Structural barriers and enablers</i>																																				
Criminalization of selling sex	Partial	% of people who avoided health care because of stigma and discrimination	Sex workers	23																																
Criminalization of same sex relations	No		MSM	22																																
Criminalization of drug use/consumption or possession for personal use	Yes		PWID	id																																
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings																																				
% of priority locations/districts with dedicated programs for AGYW & partners	na	Condom use with non-regular partners (%)	YW 15-24	48	Young women 15-24	1.1																														
% of girls who completed lower secondary education	28		YM 15-24	61	Young men 15-24	0.6																														
Educational policies on HIV & sexuality education (secondary school)	Yes	% who had multiple sexual partners	Men 15-49	24	Adults 15-49	2.4																														
Laws requiring parental consent for adolescents to access SRH services	No	% of women experienced physical or sexual violence from husband/partner	YW 15-19	id																																
Provider-initiated condom promotion integrated into SRH services	Yes		Women 15-49	31																																
HIV testing services integrated with SRH services	Yes																																			

Acronyms na ... not applicable;

PLHIV...people living with HIV; LHIV...living with HIV;YW...young women;YM...young men;

OST ... opioid substitution therapy; SRH ... sexual and reproductive health.

Very good

Good

Medium

Low

Very low

id Insufficient data