

Output (coverage)



Outcome (service use/behaviour)



Impact

Summary

New HIV infections (ages 15+, in 1000s)

Scores

SW

*

MSM

*

PWID

8

ARV-based prevention

Composite PrEP score (0-10) 2

Number of people who received PrEP at least once in the past 12 months 0

% of PLHIV on ART id

% of national PrEP need met All pop. id

% of PLHIV virally suppressed Women 15+ id

% of PLHIV virally suppressed Men 15+ id

2010 2015 2020

Key populations

HIV prevalence

Sex workers (SW)

Population size estimate for sex workers (in thousands) id

% of SWs who received at least two HIV prevention interventions (past 12 mo) 94

Prevention strategy includes core elements of SW prevention package > Half

Condom use / last paid sex (%) Sex workers 93

Condom use / last paid sex (%) Men 15-49 id

% of PLHIV on ART SWs LHIV id

Sex workers <25 years 0

Sex workers all ages 0

Gay men and other men who have sex with men (MSM)

Population size estimate for men who have sex with men (in thousands) id

% of MSM who received at least two HIV prevention interventions (past 12 mo) 91

Prevention strategy includes core elements of MSM prevention package All

Condom use / last anal sex (%) MSM 86

% of PLHIV on ART MSM LHIV 91

MSM <25 years 6

MSM all ages 6

People who inject drugs (PWID)

Population size estimate for people who inject drugs (in thousands) id

% of PWID who received at least two HIV prevention interventions (past 12 mo) 54

Prevention strategy includes core elements of PWID harm reduction package All

% with safe injecting practices PWID 91

% on opioid substitution therapy PWID id

% of PLHIV on ART PWID LHIV 82

PWID <25 years 3

PWID all ages 6

Structural barriers and enablers

Criminalization of selling sex Partial

Criminalization of same sex relations No

Criminalization of drug use/consumption or possession for personal use Yes

% of people who avoided health care because of stigma and discrimination Sex workers id

MSM id

PWID id

Young women 15-24 id

Young men 15-24 id

Adults 15-49 id

*Due to a difference in indicator definitions, a score could not be calculated

Acronyms

na ... not applicable; PLHIV ... people living with HIV; LHIV ... living with HIV;

OST ... opioid substitution therapy

	Very good
	Good
	Medium

	Low
	Very low
	id
	Insufficient data