

Condom thematic summary

2020

Version

2.01.

	Indicator	Source	Angola	Botswana	Cameroon	Cote d'Ivoire	DR Congo	Ethiopia	Ghana	Kenya	Lesotho	Malawi	Mozambique	Namibia	Nigeria	South Africa	eSwatini	Tanzania	Uganda	Zambia	Zimbabwe
Outcome	Condom use with non-regular partners (women 15-49, %)	GAM 3.18	29	71	43	37	23	20	17	57	66	49	42	59	36	61	54	28	38	35	65
	Condom use with non-regular partners (men 15-49, %)	GAM 3.18	53	76	63	50	34	51	39	76	73	73	47	70	65	73	67	35	62	62	82
	Knows condom as prevention method (women 15-49, %)	DHS	66	95	77	67	56	58	77	80	92	75	55	88	73	id	91	id	87	83	84
	Knows condom as prevention method (men 15-49, %)	DHS	78	95	77	82	73	77	86	88	88	75	65	90	78	id	87	id	88	87	88
	Woman justified to insist on condom use if husband has STI (women 15-49, %)	DHS	59	id	71	78	68	61	91	89	92	82	61	93	75	id	94	id	87	73	87
Woman justified to insist on condom use if husband has STI (men 15-49, %)	DHS	74	id	72	90	79	80	95	92	90	88	72	91	88	id	96	id	91	81	85	
Output	Number of condoms distributed/sold (in millions)	Program records	54	41	38	55	168	125	37	221	38	104	96	29	534	636	15	33	138	62	95
	Number of condoms distributed/sold per man 15-64 (2019)	Program records	8	53	5	8	7	4	4	15	56	20	15	37	10	34	38	2	14	13	20
	% of condom distribution need met (2019)	Program records &	25	100	14	28	25	49	22	78	100	95	44	100	60	92	77	9	62	51	83

Legend

	Very good
	Good
	Medium
	Low
	Very low
	id Insufficient data
	na Not applicable