

Select country from dropdown menu

# Cote d'Ivoire

CIV

Based on most recent available data.

Version

2.01.

2021

## Output (coverage)

## Outcome (service use/behaviour)

## Impact

Output (coverage)				Outcome (service use/behaviour)				Impact	
<b>Condoms</b>								<p>New HIV infections (ages 15+ trend vs. 2020 and 2025 targets)</p> <p>2010 baseline: 17 000 2020: 4 300 2025 target: 3 400</p>	
Number of condoms distributed and sold / year (in millions)	52	Condom use with non-regular partners (%)	Women 15-49	37					
Number of condoms distributed/sold per couple-year (age range 15-64)	7		Men 15-49	50					
Estimated condom distribution need met (%)	25								
<b>Voluntary medical male circumcision (VMMC)</b>									
Number of VMMCs performed / year (in thousands)	na	% of 2020 VMMC target achieved	Men	na					
% of annual VMMC target achieved	na	National male circumcision prevalence (%)	Men 15-24	93					
			Men 15-49	95					
<b>ARV-based prevention</b>									
Composite PrEP score (0-10)	5	% of national PrEP need met	All pop.	id					
Number of people who received PrEP at least once in the past 12 months	676	% of PLHIV virally suppressed	Women 15+	68					
% of PLHIV on ART	74	% of PLHIV virally suppressed	Men 15+	51					
<b>Key populations</b>				<b>HIV prevalence</b>				<b>Summary Scores</b>	
<i>Sex workers (SW)</i>								<b>AGYW&amp;MPs</b>	
Population size estimate for sex workers	75400	Condom use / last paid sex (%)	Sex workers	63	Sex workers <25 years	1.7	na		
% of SWs who received at least two HIV prevention interventions (past 3 mo)	32	Condom use / last paid sex (%)	Men 15-49	63	Sex workers all ages	4.8	SW		
Prevention strategy includes core elements of SW prevention package	> Half	% on ART	SWs LHIV	id			4		
<i>Gay men and other men who have sex with men (MSM)</i>								MSM	
Population size estimate for men who have sex with men	49000	Condom use / last anal sex (%)	MSM	83	MSM <25 years	5.5	5		
% of MSM who received at least two HIV prevention interventions (past 3 mo)	24	% on ART	MSM LHIV	id	MSM all ages	7.7	PWID		
Prevention strategy includes core elements of MSM prevention package	> Half						2		
<i>People who inject drugs (PWID)</i>								Condoms	
Population size estimate for people who inject drugs	400	% with safe injecting practices	PWID	id	PWID <25 years	id	3		
% of PWID who received at least two HIV prevention interventions (past 3 mo)	16	% on opioid substitution therapy	PWID	id	PWID all ages	3.4	VMMC		
Prevention strategy includes core elements of PWID harm reduction package	Some	% on ART	PWID LHIV	id			na		
<i>Structural barriers and enablers</i>								ART	
Criminalization of sex work	Yes	% of people who avoided health care because of stigma and discrimination	Sex workers	14			7		
Criminalization of same-sex sexual acts	No		MSM	6					
Criminalization of drug use/consumption or possession for personal use	Yes		PWID	9			PrEP		
Criminalization of transgender people	No		Transgender	23			5		
<b>Adolescent girls, young women (AGYW) &amp; partners in high-HIV incidence settings</b>									
% of priority locations/districts with dedicated programs for AGYW & partners	na	Condom use with non-regular partners (%)	YW 15-24	48	Young women 15-24	0.9			
Educational policies on HIV & sexuality education (secondary school)	Yes		YM 15-24	61	Young men 15-24	0.6			
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <16	% who completed lower secondary education	Girls	58	Adults 15-49	2.3			
Provider-initiated condom promotion integrated into SRH services	Yes	% of women experienced physical or sexual violence from husband/partner	YW 15-19	9					
HIV testing services integrated with SRH services	Yes		Women 15-49	4					

**Acronyms** na ... not applicable;

PLHIV...people living with HIV; LHIV...living with HIV; YW...young women; YM...young men;

SRH ... sexual and reproductive health.

Very good

Good

Medium

Low

Very low

id Insufficient data