

Select regional grouping from drop-down menu

Pillar scorecard

GPC

Condoms








2022

Version

2.02.

|                | Indicator  | Angola | Botswana | Cameroon | Cote d'Ivoire | Democratic Republic of the Congo | Eswatini | Ethiopia | Ghana | Kenya | Lesotho | Malawi | Mozambique | Namibia | Nigeria | South Africa | Uganda | United Republic of Tanzania | Zambia | Zimbabwe |
|----------------|--|--------|----------|----------|---------------|----------------------------------|----------|----------|-------|-------|---------|--------|------------|---------|---------|--------------|--------|-----------------------------|--------|----------|
| <b>Outcome</b> | Condom use with non-regular partners (women 15-49, %)                        | 27     | id       | 43       | 37            | 24                               | 66       | 20       | 18    | 57    | 78      | 49     | 42         | 66      | 36      | 58           | 37     | 28                          | 35     | 65       |
|                | Condom use with non-regular partners (men 15-49, %)                          | 46     | id       | 63       | 50            | 33                               | 83       | 51       | 42    | 76    | 81      | 73     | 47         | 82      | 65      | 65           | 58     | 35                          | 54     | 82       |
|                | Knows condom as prevention method (women 15-49, %)                           | 66     | id       | 77       | 67            | 56                               | 91       | 58       | 77    | 80    | 92      | 75     | 55         | 88      | 73      | id           | 87     | id                          | 83     | 84       |
|                | Knows condom as prevention method (men 15-49, %)                             | 78     | id       | 77       | 82            | 73                               | 87       | 77       | 86    | 88    | 88      | 75     | 65         | 90      | 78      | id           | 88     | id                          | 87     | 88       |
|                | Woman justified to insist on condom use if husband has STI (women 15-49, %)  | 59     | id       | 71       | 78            | 68                               | 94       | 61       | 91    | 89    | 92      | 82     | 61         | 93      | 77      | id           | 87     | id                          | 73     | 87       |
|                | Woman justified to insist on condom use if husband has STI (men 15-49, %)    | 74     | id       | 72       | 90            | 79                               | 96       | 80       | 95    | 92    | 90      | 88     | 72         | 91      | 74      | id           | 91     | id                          | 81     | 85       |
| <b>Output</b>  | Number of condoms distributed/sold (in millions)                             | 6      | 17       | 33       | 49            | 0                                | 12       | 0        | id    | 88    | 0       | 63     | 120        | 0       | 43      | 557          | 380    | 72                          | 15     | 109      |
|                | Number of condoms distributed/sold per couple-year* (age range 15-64 - 2021) | 1      | 24       | 4        | 6             | id                               | 7        | id       | id    | 5     | 0       | 12     | 15         | 0       | 1       | 28           | 32     | 4                           | 3      | 28       |
|                | % of condom distribution need met (2021)                                     | 2      | id       | 15       | 23            | id                               | 15       | id       | id    | 24    | 1       | 47     | 42         | 0       | 5       | 65           | 100    | 17                          | 10     | 88       |

Legend

|  |                      |
|--|----------------------|
|  | Very good            |
|  | Good                 |
|  | Medium               |
|  | Low                  |
|  | Very low             |
|  | id Insufficient data |
|  | na Not applicable    |

\* The number of condoms per couple-year represents the total number of condoms distributed and sold in a year, divided by half the population aged 15-64 in a country (assuming that each condom is used in a sexual act involving two persons). Both male and female condoms are included in the number of condoms distributed and sold. The total male population 15-64 was used as a proxy for the denominator mathematically, while acknowledging that condoms are used between women and men, between two men and by people with other gender identities. The indicator as a whole provides a proxy for comparing condom distribution numbers in different countries relative to population size. The following indicator on % of condom distribution need met provides a more granular estimate of the proportion of condom need met among sexually active people of all ages including key populations for prevention of HIV, STIs and unintended pregnancy.