

Select country from dropdown menu

Ethiopia

ETH

Based on most recent available data.

Version 2.02.

2022

Output (coverage)

Outcome (service use/behaviour)

Impact

Output (coverage)		Outcome (service use/behaviour)		Impact		
Condoms						
Number of condoms distributed and sold / year (in millions)	0	Condom use with non-regular partners (%)	Women 15-49	20	<p>New HIV infections (ages 15+ trend vs. 2020 and 2025 targets)</p> <p>2010: 17 000 2015: ~12 000 2020: 8 900 2025 target: 3 400</p>	
Number of condoms distributed/sold per couple-year (age range 15-64)	id		Men 15-49	51		
Estimated condom distribution need met (%)	id					
Voluntary medical male circumcision (VMMC)						
Number of VMMCs performed / year (in thousands)	28	% of 2020 VMMC target achieved	Men	100	<p>HIV prevalence</p> <p>2010: 17 000 2015: ~12 000 2020: 8 900 2025 target: 3 400</p>	
% of annual VMMC target achieved	100	National male circumcision prevalence (%)	Men 15-24	88		
			Men 15-49	91		
ARV-based prevention						
Composite PrEP score (0-10)	7	% of national PrEP need met	All pop.	id	<p>2020 and 2025 targets represent the country's required contribution to global targets, a 75% reduction by 2020 and 82.5% reduction by 2025 against 2010 as a baseline.</p>	
Number of people who received PrEP at least once in the past 12 months	13779	% of PLHIV virally suppressed	Women 15+	79		
% of PLHIV on ART	78		Men 15+	77		
Key populations						
<i>Sex workers (SW)</i>						
Population size estimate for sex workers	id	Condom use / last paid sex (%)	Sex workers	id	Sex workers <25 years	id
% of SWs who received at least two HIV prevention interventions (past 3 mo)	90		Men 15-49	81	Sex workers all ages	24.3
Prevention strategy includes core elements of SW prevention package	> Half	% on ART	SWs LHIV	id		
<i>Gay men and other men who have sex with men (MSM)</i>						
Population size estimate for men who have sex with men	id	Condom use / last anal sex (%)	MSM	id	MSM <25 years	id
% of MSM who received at least two HIV prevention interventions (past 3 mo)	id	% on ART	MSM LHIV	id	MSM all ages	id
Prevention strategy includes core elements of MSM prevention package	id					
<i>People who inject drugs (PWID)</i>						
Population size estimate for people who inject drugs	id	% with safe injecting practices	PWID	id	PWID <25 years	id
% of PWID who received at least two HIV prevention interventions (past 3 mo)	id	% on opioid substitution therapy	PWID LHIV	id	PWID all ages	id
Prevention strategy includes core elements of PWID harm reduction package	None	% on ART				
<i>Structural barriers and enablers</i>						
Criminalization of sex work	Yes	% of people who avoided health care because of stigma and discrimination	Sex workers	id		
Criminalization of same-sex sexual acts	Yes		MSM	id		
Criminalization of drug use/consumption or possession for personal use	Yes		PWID	id		
Criminalization of transgender people	Yes		Transgender	id		
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings						
% of priority locations/districts with dedicated programs for AGYW & partners	id	Condom use with non-regular partners (%)	Women 15-24	22	Women 15-24	0.4
Educational policies on HIV & sexuality education (secondary school)	No		Men 15-24	51	Men 15-24	0.3
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <16	% who completed lower secondary education	Girls	22	Adults, 15-49	1.0
Provider-initiated condom promotion integrated into SRH services	Yes	% of women experienced physical or sexual violence from husband/partner	Women 15-19	id		
HIV testing services integrated with SRH services	Partial		Women 15-49	id		

Summary Scores

AGYW	2
Sex workers	9
MSM	id
PWID	id
Condoms	id
VMMC	10
ART	8
PrEP	7

Acronyms: na ... not applicable;
 PLHIV...people living with HIV; LHIV...living with HIV; YW...young women; YM...young men;
 SRH ... sexual and reproductive health.

 Very good	 Low
 Good	 Very low
 Medium	 Insufficient data