

Select country from dropdown menu

Malawi

MWI

Based on most recent available data.

Version 2.02.

2022

Output (coverage)

Outcome (service use/behaviour)

Impact

Output (coverage)		Outcome (service use/behaviour)		Impact		
<b>Condoms</b>						
Number of condoms distributed and sold / year (in millions)	63	Condom use with non-regular partners (%)	Women 15-49	49	<b>New HIV infections</b> (ages 15+ trend vs. 2020 and 2025 targets)	
Number of condoms distributed/sold per couple-year (age range 15-64)	12		Men 15-49	73		
Estimated condom distribution need met (%)	47					
<b>Voluntary medical male circumcision (VMMC)</b>						
Number of VMMCs performed / year (in thousands)	146	% of 2020 VMMC target achieved	Men	21	<b>HIV prevalence</b> 2020 and 2025 targets represent the country's required contribution to global targets, a 75% reduction by 2020 and 82.5% reduction by 2025 against 2010 as a baseline.	
% of annual VMMC target achieved	8	National male circumcision prevalence (%)	Men 15-24	29		
			Men 15-49	28		
<b>ARV-based prevention</b>						
Composite PrEP score (0-10)	6	% of national PrEP need met	All pop.	id		
Number of people who received PrEP at least once in the past 12 months	10971	% of PLHIV virally suppressed	Women 15+	92		
% of PLHIV on ART	91		Men 15+	78		
<b>Key populations</b>						
<i>Sex workers (SW)</i>						
Population size estimate for sex workers	36100	Condom use / last paid sex (%)	Sex workers	65	Sex workers <25 years	id
% of SWs who received at least two HIV prevention interventions (past 3 mo)	68		Men 15-49	75	Sex workers all ages	49.9
Prevention strategy includes core elements of SW prevention package	< Half	% on ART	SWs LHIV	91		
<i>Gay men and other men who have sex with men (MSM)</i>						
Population size estimate for men who have sex with men	42600	Condom use / last anal sex (%)	MSM	79	MSM <25 years	4.6
% of MSM who received at least two HIV prevention interventions (past 3 mo)	65	% on ART	MSM LHIV	86	MSM all ages	12.9
Prevention strategy includes core elements of MSM prevention package	< Half					
<i>People who inject drugs (PWID)</i>						
Population size estimate for people who inject drugs	id	% with safe injecting practices	PWID	id	PWID <25 years	id
% of PWID who received at least two HIV prevention interventions (past 3 mo)	id	% on opioid substitution therapy	PWID LHIV	id	PWID all ages	id
Prevention strategy includes core elements of PWID harm reduction package	None	% on ART				
<i>Structural barriers and enablers</i>						
Criminalization of sex work	Yes	% of people who avoided health care because of stigma and discrimination	Sex workers	49		
Criminalization of same-sex sexual acts	Yes		MSM	13		
Criminalization of drug use/consumption or possession for personal use	Yes		PWID	id		
Criminalization of transgender people	Yes		Transgender	id		
<b>Adolescent girls, young women (AGYW) &amp; partners in high-HIV incidence settings</b>						
% of priority locations/districts with dedicated programs for AGYW & partners	40	Condom use with non-regular partners (%)	Women 15-24	53	Women 15-24	3.4
Educational policies on HIV & sexuality education (secondary school)	Yes		Men 15-24	73	Men 15-24	1.9
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <14	% who completed lower secondary education	Girls	21	Adults, 15-49	8.7
Provider-initiated condom promotion integrated into SRH services	Yes	% of women experienced physical or sexual violence from husband/partner	Women 15-19	id		
HIV testing services integrated with SRH services	Yes		Women 15-49	id		

Summary Scores

AGYW	4
Sex workers	6
MSM	7
PWID	id
Condoms	5
VMMC	1
ART	9
PrEP	6

Acronyms: na ... not applicable;

PLHIV...people living with HIV; LHIV...living with HIV; YW...young women; YM...young men;

SRH ... sexual and reproductive health.

Very good
Good
Medium

Low
Very low
Insufficient data