

Select country from dropdown menu

Uganda

UGA

Based on most recent available data.

Version 2.02.

2022

Output (coverage)

Outcome (service use/behaviour)

Impact

Output (coverage)		Outcome (service use/behaviour)		Impact		
Condoms						
Number of condoms distributed and sold / year (in millions)	380	Condom use with non-regular partners (%)	Women 15-49	37	<p>New HIV infections (ages 15+ trend vs. 2020 and 2025 targets)</p> <p>2010: 68 000 2015: ~55 000 2020: 46 000 2025 target: 14 000</p>	
Number of condoms distributed/sold per couple-year (age range 15-64)	32		Men 15-49	58		
Estimated condom distribution need met (%)	100					
Voluntary medical male circumcision (VMMC)						
Number of VMMCs performed / year (in thousands)	380	% of 2020 VMMC target achieved	Men	64	<p>HIV prevalence</p> <p>2010: 68 000 2015: ~55 000 2020: 46 000 2025 target: 14 000</p>	
% of annual VMMC target achieved	56	National male circumcision prevalence (%)	Men 15-24	49		
			Men 15-49	46		
ARV-based prevention						
Composite PrEP score (0-10)	10	% of national PrEP need met	All pop.	id	<p>HIV prevalence</p> <p>2010: 68 000 2015: ~55 000 2020: 46 000 2025 target: 14 000</p>	
Number of people who received PrEP at least once in the past 12 months	120524	% of PLHIV virally suppressed	Women 15+	83		
% of PLHIV on ART	82		Men 15+	73		
Key populations						
<i>Sex workers (SW)</i>						
Population size estimate for sex workers	130000	Condom use / last paid sex (%)	Sex workers	id	Sex workers <25 years	id
% of SWs who received at least two HIV prevention interventions (past 3 mo)	90		Men 15-49	73	Sex workers all ages	31.3
Prevention strategy includes core elements of SW prevention package	> Half	% on ART	SWs LHIV	65		
<i>Gay men and other men who have sex with men (MSM)</i>						
Population size estimate for men who have sex with men	24100	Condom use / last anal sex (%)	MSM	id	MSM <25 years	id
% of MSM who received at least two HIV prevention interventions (past 3 mo)	30	% on ART	MSM LHIV	66	MSM all ages	12.7
Prevention strategy includes core elements of MSM prevention package	None					
<i>People who inject drugs (PWID)</i>						
Population size estimate for people who inject drugs	7400	% with safe injecting practices	PWID	id	PWID <25 years	id
% of PWID who received at least two HIV prevention interventions (past 3 mo)	8	% on opioid substitution therapy	PWID LHIV	78	PWID all ages	17.0
Prevention strategy includes core elements of PWID harm reduction package	None	% on ART				
<i>Structural barriers and enablers</i>						
Criminalization of sex work	Yes	% of people who avoided health care because of stigma and discrimination	Sex workers	9		
Criminalization of same-sex sexual acts	Yes		MSM	id		
Criminalization of drug use/consumption or possession for personal use	Yes		PWID	64		
Criminalization of transgender people	No		Transgender	id		
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings						
% of priority locations/districts with dedicated programs for AGYW & partners	52	Condom use with non-regular partners (%)	Women 15-24	43	Women 15-24	2.8
Educational policies on HIV & sexuality education (secondary school)	Yes		Men 15-24	57	Men 15-24	1.1
Laws requiring parental consent for adolescents to access HIV testing services	Yes, <12	% who completed lower secondary education	Girls	23	Adults, 15-49	5.6
Provider-initiated condom promotion integrated into SRH services	Yes	% of women experienced physical or sexual violence from husband/partner	Women 15-19	id		
HIV testing services integrated with SRH services	Yes		Women 15-49	id		

Summary Scores

AGYW	4
Sex workers	8
MSM	id
PWID	1
Condoms	7
VMMC	6
ART	8
PrEP	10

Acronyms: na ... not applicable;
 PLHIV...people living with HIV; LHIV...living with HIV; YW...young women; YM...young men;
 SRH ... sexual and reproductive health.

Very good	Low
Good	Very low
Medium	Insufficient data